

[www.westwardparts.com](http://www.westwardparts.com)  
RED DEER • REGINA • WINNIPEG

# Farmer's Buyers Guide

# SPRING 2012

Prices in effect until June 15, 2012



 FLEXIHOPPER PLASTICS LTD

HOP AH-8  
HOP AH-10  
HOP AH-13

From  
**\$107<sup>20</sup>**  
each plus GST

## Agri-Hopper

- UV resistant.
- Bright colors for night/low light.
- Easy and complete clean out design.
- Will not sag or droop.

**Agri-Fab**  
High Tensile Strength Steel Frame

## 42" Tow LawnSweeper



**SALE**

GMR 45-0320  
**\$368<sup>88</sup>**  
each plus GST

- Sweeper width 42" – most popular!

- Unique design provides more traction on the sweeper wheels for greater debris pickup.

- Stamped steel housing provides durability to withstand season after season of use.

- Weight 73 lbs.

- 67" x 51" x 24" assembled.

**WESTWARD®**

## 16 Piece Raised Panel SAE Drop Forged Combination Wrench Set



**SALE**

WSW CRK16  
**\$96<sup>99</sup>**

set plus GST (Regular \$107.71)

- Contains: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1 1/8", 1 1/4", 1 1/2", 1 1/4"

- Dropped forged alloy steel.

- Includes a vinyl pouch.



 Made in Canada

SPW WP25/SPW WP100

**\$653<sup>98\*</sup>**

combined plus GST

\* With features as shown

**SALE**

## 25 Gallon ATV Sprayer

- 25 US gallon (94.6 l) tank with molded handgun hose holder.
- 5" filler cap to reduce spillage.
- SHURflo 12 volt 60 PSI pump with internal bypass, on-off switch & fuse holder, 7.2 amp draw at 60 PSI.
- No special mounting brackets required.
- 80" x 1 1/4" x 1 1/4" (2,032 x 32 x 32 mm) 3 section folding boom with 5 flat fan nozzles for 100" (2,540 mm) coverage.
- Pressure gauge standard for accurate application.
- Plumbed for optional handguns.
- Front facing controls.
- Return line for full agitation.



**HONDA**  
ENGINES

WSS SEH80X

**\$957<sup>00</sup>**  
each plus GST

## 3" Water Pump

- 3" centrifugal pump.
- Max. capacity 246 GPM (931 l/min.)
- Max. head 85 ft. (25.9 m) max. suction 26 ft. (7.9 m).
- Max. pressure 36.8 PSI.
- Honda GX160 engine 3.5 net HP @ 3,600 RPM.
- Recoil start.
- 2.5 hours run time.



SPW WP47-CHEMROLL

**\$569<sup>00</sup>**  
each plus GST

## WP Chemical Applicator

- 100% no drift!
- 46" coverage.
- Adjustable roller for gauging distance above ground.
- 5 acres coverage with just one fill!
- 4–5 mph for proper coverage.



# Make your yard the best ever!



## ATV Flip Over Harrow

- 5 foot width
- 42 spike teeth
- Adjustable spike angle
- Staggered tooth pattern



**WORKSAVER**

**GMR FOH-5**  
\$1,518<sup>00</sup>  
each plus GST



## WP 25 Gallon Pull Type Sprayer

- 25 US gallon tank with 80" boom & molded handgun hose holder & heavy-duty boom support.
- SHURflo 12 volt 60 PSI pump with internal bypass, fuse holder and on-off switch.
- 7.2 amp draw at 60 PSI
- 100" coverage with 5 flat fan nozzles, 80" boom
- Shipping weight 77 lbs.



**LOWER  
PRICE**

**SPW WP25100**  
\$629<sup>00\*</sup>  
each plus GST

\*With features as shown



Made in Canada

## 15 Gallon ATV Sprayer

- 15 US gallon (56.8 l) tank with molded handgun hose holder.
- 5" filler cap to reduce spillage.
- SHURflo 12 volt 60 PSI pump with internal bypass, on-off switch and fuse holder, 7.2 amp draw at 60 PSI
- Front facing controls.
- 80"x 1 1/4" x 1 1/4" (2,032 x 32 x 32 mm) 3 section folding boom with 5 flat fan nozzles for 100" (2,540 mm) coverage.
- Pressure gauge standard for accurate application.
- Plumbed for optional handguns.
- Universal ATV mount kit.
- Return line for full agitation.

## 20 Gallon ATV Sprayer

- 20 US gallon (75.7 l) with wrap around saddle.
- SHURflo 12 volt 60 PSI pump with internal bypass, fuse holder & on-off switch, 7.2 amp draw at 60 PSI
- No special mounting brackets required.
- 122" x 1 1/4" x 1 1/4" (3,100 x 32 x 32 mm) 3 section folding boom with 7 Combo-Jet diaphragm nozzles for 140" (3,556 mm) coverage.
- Pump mounted on tank saddle improves suction & reduces cavitation.
- Return line for full agitation.
- Pressure gauge standard for accurate application.
- Plumbed for optional handguns.
- No special mounting brackets required.

## SPW WP20/SPW WP140

**SPW WP20/SPW WP140**  
\$828<sup>00\*</sup>  
combined plus GST

\*With features as shown



**SPW WP14/SPW WP100/SPW WP15**

**\$597<sup>00\*</sup>**

combined plus GST  
\*With features as shown

## 6' Heavy Duty Landscape Rake

- Seven forward, seven rear angle adjustments provides for precision leveling and grading.
- Includes parking stand.
- Sturdy frame construction with heavy duty  $\frac{5}{16}$ " x 1" x 16" tines.



**GMR LRHD-6**  
\$1,373<sup>00</sup>  
each plus GST

## Agri-Fab 8-Gallon (Dry) Push Broadcast Spreader

- Hopper capacity 8 gallon (dry) 100 lb.
- Rustproof poly hopper and spreader plate increase product life.
- Steel rod flow control (no cables) for precise coverage.
- Up to 10' spread width for reliable coverage.
- Spreader setting recommendations included for easy use.
- 30 lbs. weight.
- 37" x 26" x 31" assembled.

**GMR 45-0214**  
\$193<sup>00</sup>  
each plus GST



Made in Canada



Made in Canada

## WP Gas Powered Lawn Sweep

- 41" sweeping width.
- 5 HP Honda® engine.
- 2 x 3.00 x 4 castering nose wheel.
- Offset & straight pull hitches standard.
- 3 paddle sweeping brush.
- Simple single belt drive.
- Powder coat paint.
- Heavy-duty molded hopper.
- 12 x 6.00 x 6 flotation tires.
- Positive sweeping height adjustment.
- 4" x 41" replaceable brush section.



**GMR LS41F**  
\$2,499<sup>00</sup>  
each plus GST



## Steel Wheel Barrow

- Capacity: 6 cf, 163 kg (359 lbs.)
- Tire: 15" x 3.5"
- 25" height, 26.5 width, 58" length.
- Red.
- Weight: 18 kg (39 lbs.)
- Steel hopper, wood handles.



WSS WB6601

**\$68<sup>00</sup>**  
each plus GST

## Plastic Wheel Barrow with Steel Handles

- Capacity: 7 cf, 150 kg (330 lbs.)
- Tire: 15" x 3.5"
- 29" height, 27 width, 60" length.
- Black.
- Weight: 17 kg (37 lbs.)
- Plastic hopper, steel handles.



WSS WB7801

**\$64<sup>00</sup>**  
each plus GST

**Agri-Fab**  
Rough Tools...Easier Other Days...enjoy!

## Poly Push/Tow Roller

- 18" diameter x 24" wide.
- Poly construction for rustproof durability.
- Drum capacity 250 lb. (water).
- Lightweight when empty, for easy transport & storage.
- 40 lbs. weight.
- 50" x 30" x 18" assembled.



GMR 45-0267

**\$177<sup>00</sup>**  
each plus GST

**Agri-Fab**  
Rough Tools...Easier Other Days...enjoy!

## SmartSPREADER™ Tow Behind Spreader

- Extra large 130 lb. hopper capacity to finish projects faster.
- Professional-style, easy-set control for precise application.
- Enclosed commercial-grade gearbox for smooth rolling and easy maintenance.
- Large pneumatic tires for easy maneuverability.
- Fast and easy assembly.
- Universal hitch fits any lawn tractor regardless of brand.



GMR 45-0463

**\$275<sup>00</sup>**  
each plus GST

**WORKSAVER**  
**ATV Flip-Over Disc**



- Ideal pull type implement for garden tractors and ATVs.
- Eight 16" notched disc blades.
- Transport wheels 4" x 12" pneumatic.
- Disc gangs are at 20° angle for optimum cutting.
- Minimum horsepower 16 HP or 350cc.
- Rear tab for drag harrow attachment.

**GMR FOD-15**

**\$1,026<sup>00</sup>**  
each plus GST

**WORKSAVER**  
**ATV Seeder/Spreader**



**GMR ATKV-400**

**\$596<sup>00</sup>**  
each plus GST

## Garden Cart

- Capacity: 227 kg. (500 lbs.)
- Tires: 13" x 4"
- Length 46" x width 30" x height 23".
- Green plastic frame.
- Weight 29 kg. (63 lbs.)



WSS TC1858

**\$153<sup>00</sup>**  
each plus GST

**Agri-Fab**  
Rough Tools...Easier Other Days...enjoy!

## Push Broadcast Spreader

- Hopper capacity 7 gallon (dry)/85 lb.
- Rustproof poly hopper & spreader plate increase product life.
- 14,200 sq. ft. coverage; roughly  $\frac{3}{10}$  acre depending on material used and speed of application.
- Up to 10' spread width for reliable coverage.
- 20 lbs. weight.
- Pneumatic tires allow for increased maneuverability.
- 35" x 22" x 33" assembled.



GMR 45-0388

**\$101<sup>00</sup>**  
each plus GST

# Nourish your lawn with a spray of savings!

**NEW ITEM**



## WP 150 Gallon Pull Type Sprayer

Made in Canada

- 150 US gallon (227 litre) tank with optional WP150T trailer & WP21150FT boom assembly.
- Handgun hose holder.
- $\frac{3}{8}$ " x 25' handgun hose.
- 5' x 8" bottom sump for complete tank drainage.
- 5 HP Honda engine.
- Pressure gauge.
- 21 foot, 3 section boom w/13 Combo-Jet nozzles.
- 14" rims w/o tires.

SPW WP150-4R/SPW WP150T  
SPW WP21150FT

**\$3,188<sup>00</sup>\***

combined plus GST  
\*With features as shown

## WP Knapsack Sprayer

- 15.0 litre handheld sprayer.
- Ideal for use as a lawn sprayer, garden sprayer, chemical sprayer, spot sprayer, and fertilizer sprayer.

**\$63<sup>50</sup>**

each plus GST



Optional:  
SPW WP715-A-WP  
Centrifugal Pump Kit,  
SPW WP814H  
Single Agitator Kit

## 200 Gallon Skid Sprayer

Made in Canada

- 6 HP Honda engine.
- 9203 Hypro centrifugal pump.
- Electric controls.
- Boominator RH & LH nozzles.
- Pistol grip handgun w/50' hose.



SPW WP200-9202CE

**\$4,569<sup>00</sup>**

each plus GST

## 110 Gallon 3 Point Field Sprayer

Made in Canada

- 21' folding boom for full coverage!
- 9" filler cap to reduce spillage.
- 5' x 8' bottom sump for complete tank drainage.
- Suction line filter.
- Pressure regulator valve.
- 21' folding boom has dripless diaphragm Combo-Jet nozzles.

**\$2,334<sup>16</sup>**

combined plus GST

SPW WP110150C/SPW WP110S  
/SPW 78980/SPW WP21FT



## WP Pull Type Sprayer

Made in Canada

- 60 US gallon (227 litre) tank.
- SHURflo 2.8 GPM 12V pump.
- 16/6.50 x 8 heavy duty wheel.
- 100" 3 fold boom folds to 34".
- Positive handgun shut-off.
- Return hose in side of tank.
- Battery accommodation on hitch.
- Delavan pressure regulator.

SPW WP40100

**\$649<sup>00</sup>**  
each plus GST



## WP 62 Gallon Pull Type Sprayer

Made in Canada

- 62 US gallon tank.
- 5" filler cap to reduce spillage.
- 5" x 8" bottom sump for complete tank drainage.
- 4 roller pump.
- Rigid skid with formed 6" side channels.
- 15/600 x 6 pneumatic tires.
- Pressure regulator valve.
- 5 HP Honda engine.
- 122" – 3 section folding boom.
- Diaphragm nozzles.
- Pistol grip handgun and 25' hose.

SPW WP62/SPW WP62-4R  
SPW WP62T/SPW WP140

**\$1,966<sup>00</sup>\***

combined plus GST

\*With features as shown



**\$6<sup>15</sup>**

each plus GST

SPW HH12

## Electric Backpack Sprayer



- Sprays up to 120 gallons on a single charge.

- High performance chemical resistant SHURflo pump.

- Adjustable nozzle on handgun.

- Ultra comfortable ergonomic design, full back pad and thickly padded shoulder harness.

SPW SRS-600

**\$342<sup>30</sup>**

each plus GST

## Skid Sprayer

Made in Canada



- 12 Volt automatic demand diaphragm pump.

- 1 gpm, 40 PSI, 15 US gallon (56.8 litre).

- 15 ft. handgun hose.
- 18" lever handgun with adjustable tip.

SPW WP15

**\$279<sup>00</sup>**

each plus GST



## WP 25 Gallon Pull Type Sprayer

Made in Canada

- 25 US gallon tank with 40" boom & molded handgun hose holder & heavy-duty boom support.
- SHURflo 12 volt 60 PSI pump with internal bypass, fuse holder and on-off switch.
- 7.2 amp draw at 60 PSI
- 80" coverage.

SPW WP2540

**\$605<sup>00</sup>\***

each plus GST

\*With features as shown



## WP 20 Gallon Pull Type Sprayer

Made in Canada

- 20 US gallon tank with wrap around saddle support.
- SHURflo 12 volt 60 PSI pump with internal bypass, fuse holder and on-off switch.
- 7.2 amp draw at 60 PSI
- 140" coverage.
- Dripless nozzles.

SPW WP20/SPW WP20T/SPW WP140

**\$1,007<sup>00</sup>\***

combined plus GST

\*With features as shown



## WP 15 Gallon Pull Type Sprayer

Made in Canada

- 15 US gallon tank with 40" boom & molded handgun hose holder.
- SHURflo 12 volt 60 PSI pump with internal bypass, fuse holder and on-off switch.
- 7.2 amp draw at 60 PSI
- 80" coverage.
- Shipping weight 40 lbs.

SPW WP1540

**\$449<sup>00</sup>\***

each plus GST

\*With features as shown

## WP Handheld Sprayer

- For a weed-free lawn!
- 6.5 litre

**\$18<sup>95</sup>**

each plus GST



SPW HH65

## WP Handheld Sprayer

- For a weed-free lawn!
- 8.0 litre.

**\$22<sup>50</sup>**

each plus GST



SPW HH8

## Lever Handgun Kit

- Handgun kit with "Spraying Systems" lever handgun.
- 1/4" x 12 1/2' hose assembly.



SPW WP303

**\$79<sup>00</sup>**

kit plus GST

## 25' Handgun Kit

- Handgun kit with "Spraying Systems" pistol grip handgun.
- Shut-off valve.
- 3/8" x 25' hose assembly.



**\$219<sup>00</sup>**

kit plus GST

SPW WP300

## 25' Handgun Kit

- Handgun kit with J.E. Adams pistol grip handgun.
- Hose & gun holder.
- 3/8" x 25' hose assembly.



**\$129<sup>00</sup>**

kit plus GST

## 12.5' Handgun Kit

- Handgun kit with J.E. Adams pistol grip handgun.
- Hose and gun holder.
- 3/8" x 12 1/2' hose assembly.



**\$99<sup>00</sup>**

kit plus GST

SPW WP304

## Skid Sprayer

Made in Canada




SPW WP24

**\$317<sup>00</sup>**

each plus GST

## 3 Point Hitch Sprayer



- 62 US gallon tank.
- 5" filler cap to reduce spillage.
- 5" x 8" bottom sump for complete drainage.
- Hose and fittings to fit most roller pumps (pump not included)
- Tank bottom return line for full agitation.
- Relief valve and pressure gauge included.
- Category I – 3 point carrier.
- Lever valve boom control.
- Seven nozzle 3 section boom – 140" coverage.
- Plumbed for optional handguns.
- Shipping weight 111 lbs.

**\$922<sup>00</sup>**

each plus GST

# Hypro, Delavan Ace & SHURflo Pumps

## Pressure Gauges

- Measure PSI performance.

### 2½" Gauge

- ¼" MIPT, 0–100 PSI

**\$6.95**

each plus GST



SPP 75009

### 2½" Gauge

- Glycerin filled, ¼" MIPT, 0–100 PSI

**\$17.95**

each plus GST



SPP 75021

## Model 7560C

- 8 roller cast iron pump, also available in Ni-Resist or Silver Series housing
- Maximum flow: 22.5 gpm/85.2 l/min. at 1,000 rpm
- Maximum pressure: 300 PSI/20.7 BAR
- Maximum rated speed: 1,000 rpm
- Maximum fluid temperature: 140°F/60°C
- Shaft: 15/16" solid, Port sizes, 3/4 NPT

**\$236.11**

each plus GST

LOWER PRICE



SPP 70053

## Model 9303C

- Mounting almost anywhere on tractor or sprayer, Series 9303C becomes part of the vehicle's hydraulic system and frees the PTO for other uses.
- Max. pressure 130 PSI, max. flow 114 GPM
- Pump construction: Epoxy-coated cast iron housing, nylon impeller, two needle main bearings and an outboard, double sealed factory-lubricated ball bearing.
- Viton sealing element standard.

**\$956.53**

each plus GST

LOWER PRICE



SPP 70207

## Centrifugal Pumps

- 20 GPM at 100 PSI
- The 206 motor requires 7 GPM hydraulic fluid input and fits virtually all tractor hydraulic systems.
- Recommended for: John Deere type pressure compensating closed centre systems, Case-IH type load sensing closed centre systems. Open centre systems with capacities from 7 to 16 CCW
- 150 Series High Performance.
- 1½" x 1¼" CCW.

**\$928.01**

each plus GST

LOWER PRICE



SPP 70004



## Roller Pumps

- 5 roller, cast iron, output to 46.5 gpm, pressure to 200 PSI

**\$321.26**

each plus GST

LOWER PRICE

SPP 70001



- 6 roller, cast iron, output to 19.5 gpm, pressure to 300 PSI
- Also available in reverse rotation, Ni-resist, or Diamond Series.

**\$152.83**

each plus GST

LOWER PRICE



SPP 70006



- 7 roller, cast iron, output to 22.5 gpm, pressure to 200 PSI
- Also available in reverse rotation, Ni-resist, or Diamond Series

**\$227.40**

each plus GST

LOWER PRICE



SPP 70067



- Centrifugal Pump.
- Maximum flow 140 gpm.
- Maximum pressure 180 PSI
- 1½" inlet x 1¼" outlet CCW
- Maximum speed 6,000 rpm.
- Pedestal mount can be used for direct or belt drive.

**\$436.35**

each plus GST

LOWER PRICE



SPP 70203 (FMC-HYD-210)

## Centrifugal Pumps

- The 210 motor requires 10 GPM (37.9 LPM) maximum hydraulic fluid input.
- Recommended for: Load sensing closed center systems.
- Open center systems up to 17 GPM (64.4 LPM) using internal needle valve bypass.
- 1¼" suction x 1" discharge.
- Maximum 180 GPM at 10 PSI, 20 GPM at 90 PSI

**\$1,092.58**

each plus GST

LOWER PRICE



SPP 70284



## 12V Diaphragm Pump

- By-pass pump w/electric package.
- 1.4 gpm, 60 PSI internal by-pass with built-in on/off switch.
- ¾" NPT – Female ports.

**\$133.46**

each plus GST

LOWER PRICE

## Quick TeeJet Nozzle Assembly

- **Wet boom** split eyelet diaphragm assembly.
- QJ17560A-¾-NYB **\$3.96**  
each plus GST
- For ¾" pipe.



## Quick TeeJet Nozzle Assembly

- **Wet boom** split eyelet diaphragm assembly.
- For 1" pipe.
- QJ17560A-1-NYB

**\$3.96**  
each plus GST



SPP 73118

## Quick TeeJet Nozzle Assembly

- **Wet boom** 3 outlet diaphragm assembly.
- Positive shut-off between each spray pattern.
- For 1" pipe.
- QJ363B-1-NYB

**\$14.15**  
each plus GST



SPP 72380

## Quick TeeJet Nozzle Assembly

- **Wet boom** 5 outlet diaphragm assembly.
- Positive shut-off between each spray pattern.
- For 1" pipe.
- QJ365B-1-NYB

**\$14.15**  
each plus GST



SPP 72386

## Quick TeeJet Nozzle Assembly

- **Wet boom** 5 outlet diaphragm assembly.
- Positive shut-off between each spray pattern.
- For ¾" pipe.
- QJ365B-¾-NYB

**\$14.15**  
each plus GST



SPP 72385

## Quick TeeJet Nozzle Assembly

- **Dry boom** double ¾" hose shank. SPP 72432
- 22252-312-750-NYB **\$7.48**  
each plus GST



each plus GST

Partial Listing of Nozzles and Strainers

## BANJO Strainer

- Banjo polypropylene T line strainer.
- 1" ports with 80 mesh screen **\$27.22**  
each plus GST



SPP 77367

## TeeJet Strainer

- TeeJet 1" nylon T line strainer.
- 1" ports with 50 mesh screen.

**\$29.11**  
each plus GST



SPP 77213

## BANJO Strainer

- Banjo polypropylene Y line strainer
- 2" ports with 50 mesh screen

**\$56.63**  
each plus GST



SPP 77305

## BANJO Strainer

- Banjo polypropylene T line strainer
- 1" ports with 50 mesh screen

**\$29.11**  
each plus GST



SPP 77224

## BANJO Strainer

- Banjo polypropylene Y line strainer
- 2" ports with 80 mesh screen.

**\$56.63**  
each plus GST



SPP 77306

## Quick TeeJet Nozzle Assembly

- **Dry boom** double ½" hose shank.
- Diaphragm check valve.
- 19350-212-540-NYB

**\$9.06**  
each plus GST



SPP 72425

## Quick TeeJet Nozzle Assembly

- **Dry boom** double ¾" hose shank.
- Diaphragm check valve.
- 19350-212-785-NYB

**\$9.06**  
each plus GST



SPP 72426

## Nozzle Filters

- 50 mesh, poly standard filter
- Other mesh sizes available.



**\$10.50**  
package (of 10) plus GST

SPP 50MN

## Nozzle Filters

- 100 mesh, poly ball check filter.
- Other mesh sizes available.



**\$27.56**

package (of 10) plus GST

SPP 100MNCV

## Nozzle Filters

- 50 mesh, snap in Combo-Jet caps.

**\$1.33**  
each plus GST



SPP 72119

## Nozzle Filters

- 50 mesh, brass ball check filter.
- Other sizes available.

**\$4.41**  
each plus GST



SPP 72913

# Sprayer Accessories

## TeeJet TIPS

### Turbo TeeJet – Wide angle flat spray tips!


Tapered edge wide angle flat spray pattern for uniform coverage in broadcast spraying

Large rounded internal passage to minimize clogging

Excellent resistance to corrosive solutions

Superior wear characteristics

Larger droplets for less drift, 15–90 PSI (1–6 bar)




Automatic spray alignment with 25611-NYR Quick TeeJet® cap

	TT11001-VP (100)
	TT110015-VP (100)
	TT11002-VP (50)
	TT11003-VP (50)
	TT11004-VP (50)
	TT11005-VP (50)
	TT11006-VP (50)
	TT11008-VP (50)



	20"
	15" - 18"



### Wide Angle Spray Tip

## TeeJet TIPS

### AI TeeJet – Air induction spray tips!

Stainless steel insert produces tapered edge flat spray pattern for uniform coverage in broadcast spraying

Polymer insert holder and pre-orifice with VisiFlo® color-coding

Larger droplets for less drifts

Depending on the chemical, produces large air-filled drops through the use of a Venturi air aspirator




Automatic spray alignment with 25597-NYR Quick TeeJet® cap

	AI110015-VS (100)
	AI11002-VS (100)
	AI110025-VS (50)
	AI11003-VS (50)
	AI11004-VS (50)
	AI11005-VS (50)
	AI11006-VS (50)
	AI11008-VS



	110°
	15" - 18"



### Air Induction Spray Tip

## WILGER Spraytips & Nozzle Bodies

- Wilger's easier and more effective spray application!

### Combo-Jet® Tip-Caps

Let's you match the droplet size to your application, optimizing coverage and drift control



### WILGER Spraytip Finder

Wilger's easy to use spraytip finder is available from their web site, CD, or your internet connected cell phone at [www.tipwizard.net](http://www.tipwizard.net)



### Spray Adapter

Allows Combo-Jet® Tip-Caps to be used on conventional/square-lug nozzle bodies

SPP 72134 (40200-00 adapter)

\$182

each plus GST

## Combo-Rate® Nozzle Bodies

Let you spray with more than one nozzle at each location to optimize results

- Combo-Rate II® universal mount fits most sprayers
- Turret has up to 5 nozzle outlets



## WILGER Turrets

Are easier to turn and don't seize from dust build-up

## WILGER Swivel-Jet

- Drip-less diaphragm design
- Double nozzle assembly
- 1" wet boom, less caps



\$1422

each plus GST

SPP 72108

## GREENLEAF Turbodrop XL Venturi Nozzles

- Lower water usage!
- Wide drift control range: 30–90 PSI  
Wide pressure range: 20–120 PSI
- Patented stabilization chamber.
- Wide variety of applications.
- Patented pulsation dampener.
- Excellent with rate controllers.
- Improved coverage, reduced runoff.
- Reduced clogging.
- Longer wear life.
- More spray on target.
- Interchangeable tip/cap.

**Part Numbers SPP 71960 through SPP 71969**

Greenleaf's patented Turbodrop Venturi nozzle is available in a low pressure version! The new TurboDrop XL Nozzle (and Venturi) can operate between 20 and 120 PSI, with optimal pressure range between 30 and 90 PSI. This range allows you to increase your GPA rate by 50% without changing nozzles.

## Brass Full Port Valves

Partial Listing of Port Valves

Part No.	Replaces	Description	Price
SPP 76000	FBV-25	1/4" lever ball valve	4.58
SPP 76001	FBV-50	1/2" lever ball valve	6.24
SPP 76002	FBV-75	3/4" lever ball valve	8.61
SPP 76003	FBV-100	1" lever ball valve	14.65

## Greenleaf Nozzles

- The AirMix® is a compact, economical air injection nozzle designed to provide both drift control and surface coverage at conventional spray pressures.
- **Part Numbers SPP 74747 through SPP 74762**
- **Low Cost:** Airmix® offers the most economical solution for drift control.
- **Wide Pressure Range:** 15–90 PSI
- **Easy Maintenance:** No tools required for servicing
- **Compact Size:** 7/8" long
- **Quick Retrofit:** Fits standard TeeJet® and Wilger caps
- **Reduced Plugging:** Airmix® utilizes air cleaning system found on no other nozzle



## SHURFLO 12V Diaphragm Pump

- By-pass pump.
- 1.4 gpm, 45 PSI internal by-pass.
- 3/8" NPT – Female ports.

SPP 70281



**\$138.94**  
each plus GST

## Foams and Dyes

- For use as field markers!
- Foam solution
- 4L bottle



**\$45.50**  
4L bottle plus GST

## Foams and Dyes

- For use as field markers!
- Red dye to be mixed with water



**\$31.96**  
each plus GST

## BANJO Single Union Polypropylene Ball Valve

- Precision molded in glass reinforced polypropylene for strength and chemical resistance.
- Teflon seals for smooth operation and proper sealing characteristics.
- EPDM o-rings to handle most fertilizers and many chemicals, viton available.
- Double o-rings in stem area for extra sealing protection.
- Interlocking body and end plate to allow easy thread connection when installing valves.
- Maximum operating pressure 100 PSI at 70°F



SPP 76032

Part No.	Replaces	Description	Price
SPP 76032	UV-100FP	1" nyglass ball valve	18.24
SPP 76035	UV-200FP	2" nyglass ball valve	39.48



## TiR Shutoff Valve

- 12 Volt electric boom shutoff valve.
- 1" NPT female inlet.
- 1" male bypass outlet.
- 3/4" NPT female boom line outlet.
- For high volume applications at minimum pressure loss.
- Current draw of only 1.1 amp per valve.
- Maximum operating pressure, 175 PSI
- For multiple valve units, simply screw one valve to another.



SPP 76680

**\$135.53**  
each plus GST



## Sprayer Gun

- Spraying systems AA43H trigger gun.
- D4 orifice spray tip.
- 23" length.
- 1/2" NPT inlet.



SPP 74006

**\$125.42**  
each plus GST

## Sprayer Gun

- 36" length, 4,000 PSI, pressure washer gun.



SPP 75209

**\$52.87**  
each plus GST

## Guardian™ Spray Tip

- Ideal for insecticide and fungicide applications.
- Unique 20° inclined spray pattern allows users to adjust the spray rearward, forward or as a twin spray to best suit the application target.



Priced from  
**\$7.11**  
each plus GST

# Our products make a day in the field productive!

## Centerline Guidance System

- Guidance modes: headline mode, parallel and curved AB line, adaptive curve.
- Automatic boom section control – up to 5 section boom plus the master on/off switch
- Connects to most third party rate controllers
- Counters – bounded area calculator – headland mode will include the feature of automatically calculating and reporting the area bounded by the outside edge of the first perimeter.
- Area counters – will store and display two separate accumulated area counters. Each may be reset independently.

**\$2,585<sup>00</sup>**  
each plus GST



SPW CL230BP

## Fertilizer Spreader

- Three spreading patterns!
- Weldless metal sheet used on our hopper.
- Our steel hopper & tubular steel frame are designed stronger for a much longer life than other spreaders!
- Four adjustable vanes.
- 660 lbs. hopper capacity.
- 16'5" to 26'4" spreading width.
- 2-10 mph spreading speed.
- 163 lbs. weight with PTO shaft.
- Cat I or II – 3 point hitch category.
- 8 to 10 minimum HP required.
- Optional: Deluxe Agitator Kit



GMR FS300  
**FAZA**  
MACCHINE AGRICOLE

**\$713<sup>00</sup>**  
each plus GST

Partial Listing of Arena Harrows

## Arena Harrows

- 5' width with 3/4" x 8" teeth.
- Angled teeth provide trash clearance.

**\$1,594<sup>00</sup>**  
each plus GST



## Arena Harrows

- 5' width with 5/8" x 7/8" x 8 1/2" teeth.
- Designed for subcompact tractors.

**\$1,305<sup>00</sup>**  
each plus GST

GMR RH5E

## Chemical Injector The Handler II

- Capacity of 42 US gallons.
- Allows user to batch mix everything from liquids to dry products and powders, as well as directly induct chemical into the sprayer.
- Size and accurate calibration make the Handler II the perfect unit for metering from bulk containers.
- Has a standard single nozzle agitation system and comes standard with Banjo threadless manifold fittings, 2" Venturi, 2" fittings.

**\$1,886<sup>85</sup>**

each plus GST



MIS 85-H2FS200VM-A

## Poly Pipe Fittings

Partial Listing of Poly Pipe Fittings

Part No.	Description	Price
SPP 73220	3" male thread x 3" hose shank	9.78
SPP 73203	1/2" male thread x 1/2" hose shank	0.87
SPP 73229	1" male thread x 3/4" hose shank 90°	1.61
SPP 73257	3" x short pipe nipple	9.40
SPP 73282	3" x 2" reducer bushing	12.29
SPP 73302	1" pipe plug	2.03
SPP 73340	3" pipe tee	45.57
SPP 73361	1 1/2" pipe street elbow 90°	6.66
SPP 73348	1 1/4" pipe street elbow 90°	4.13



## Quick Coupler & Adapters

Partial Listing of Quick Coupler & Adapters

Part No.	Size	Price Each
SPP 73704	2" male adapter x 2" female thread	4.65
SPP 73710	2" male adapter x 2" male thread	5.48
SPP 73715	1 1/2" male adapter x hose shank adapter	4.61
SPP 73724	2" female adapter x 2" female thread	13.02



## Centerline 220 GPS

- Compact guidance for any application!
- LED lightbar guidance plus a graphical display for complete guidance information.
- High quality, 5 Hz internal GPS engine with external antenna.
- Simple setup gets you up & running in no time. Straight-line (parallel) & curved AB guidance modes.

**\$1,740<sup>00</sup>**  
each plus GST





## WP S-Tine Cultivators

- 2x2 all welded box frame.
- Sweep options available.
- Category I – 3 pt. hitch
- Complete with points.
- 5', 6', 7' or 8'1" sizes.

Part No.	Size	Price
GMR CDT5	5 feet	575.00
GMR CDT6	6 feet	651.00
GMR CDT7	7 feet	730.00
GMR CDT8	8 feet 1 inch	749.00



## Post Hole Digger

- For 14–24 HP tractors
- Fits Category 0 – 3 point hitch
- 6" x 30" auger
- Also available with 9" or 12" auger

GMR 300

& GMR 170575

**\$1,068<sup>00</sup>**  
combined unit plus GST



## RBHD-Series Blades

- Designed for Cat I or Cat I quick hitch.
- Main frame consists of an all welded mast and 4" x 4" square tubing.
- Features mechanical offset and angle adjustment.

RBHD-6

**\$933<sup>00</sup>**  
each plus GST



**NEW ITEM**

Prices subject to change without notice and do not include GST, freight or set-up. Some items may not be available at all dealers. Prices in effect until June 15, 2012



## WP 3 Point Bale Handler

- Easily handles large round bales.
- The Westward BH1 easily handles large round bales weighing up to 2,000 lbs. with diameters from 4' to 6'; three point hitch mounted.
- Length 68", Width 71", Height 27", Weight 310 lb.

**\$1,290<sup>00</sup>**  
each plus GST

**LOWER PRICE**

HAY BH1



## Grain Hopper

- Capacity of 6" to 10" augers!
- Designed to assist you in moving your grain to the maximum capacity of 6" to 10" augers.

**\$92<sup>63</sup>**  
each plus GST

**LOWER PRICE**



## 6' Blade For Tractors

- An economical 6' blade for tractors up to 35 hp, with Category I 3-pt. hitch.
- The MCRB-72 only offers mechanical angle adjustment.
- The main frame is formed with 3" x 2.5" channel; replaceable straps are used for the A-frame.
- The formed moldboard includes a ½" x 6" reversible cutting edge.

**MCRB-72**  
**\$630<sup>00</sup>**  
each plus GST

**NEW ITEM**



- Integrated frame design for John Deere loader models: 300, 300CX, 400X, 410, 420, 430, 440, 460, 520, 521, 540, and 541
- Dual bolt-in forged spears spaced 26 1/2" apart.
- Usable length of 42"; Rated at 3,000 lbs.



HAY JDBS-423

**\$867<sup>00</sup>**  
each plus GST



## Bale Hand

- Handles 4 to 6 ft. wrapped or unwrapped round bales, up to 2,200 lbs.
- Hydraulic clamping arms gently grab the bale for transporting or stacking.
- Attaches to farm tractor or skid steer front loaders.
- Standard equipment includes main unit, and a hydraulic cylinder for operating the "Bale Hand" (hydraulic hoses are not included).
- Optional quick attach mounting brackets and Pin Style Attach Brackets are available for many of the popular tractor loaders or skid steer units with the universal quick attach coupler.

HAY UBH2072

**\$2,785<sup>00</sup>**  
each plus GST



- Single bolt-in forged spear with usable length of 42".
- Two balance spikes, 1" x 8 1/2" usable.
- For round bales. Rated at 2,200 lbs.
- All welded frame design that incorporates the Euro/Global style quick attach brackets.



**\$629<sup>00</sup>**  
each plus GST

## Grain Vac Hose

Part No.	Size	Price/ft.
HOS GV400	4" I.D.	18.68
HOS GV500	5" I.D.	24.63
HOS GV600	6" I.D.	38.77



# Handy to have around the workshop!



## WP Flat Free Tires

### HID Work Lamps

- Gives out 3 to 4 times brighter light than halogen!
- HID sealed beam.
- 12V ballast.
- Gives out white light.
- Lamp dimensions: 7½" L x 6" H x 5" D

**\$215<sup>60</sup>**  
each plus GST



MIS HID5072

**\$215<sup>60</sup>**  
each plus GST



MIS HID5071

### Lock Pins

- Quick connect and disconnect
- Zinc plated
- For up to 2½" diameter shafts



Part No.	Description	Price
HAR 02801	¼" x 2" round wire	1.75
HAR 02808	⅜" x 2" round wire	1.68
HAR 02802	⅜" x 2¾" square wire	1.68
HAR 02807	¼" x 2¾" square wire	1.68

### Fuel Tank Hose

- Hose with static wire is required for use with 12 or 110 volt "electric" pumps.
- Hose without static wire can be used for dispensing all gasoline, diesel fuel, kerosene and oil where UL approval is not required.



- Install it and forget it!
- Foam filled, never goes flat.
- Retains pneumatic-like feel, not hard as a rock.
- Standard sizing 4.80/400x8

### HUB 400X8A-FF

**\$4101**  
each plus GST



### Wiping Rags

Part No.	Description	Price
HAR RSTW-30P	30 pack deluxe shop towel	16.42
HAR RSTW-50P	50 pack deluxe shop towel	26.04
HAR RBXN-10C	10 lb. near white wiping rags	16.42



**NEW ITEM**

### NEW Pramac Generator

- 4.6 HP Watt T-bar generator.
- Honda GC160QHC.
- 2,800 watts.
- Voltage 120.
- Recoil start.
- Fuel tank capacity 0.5 gal/1.7L.
- Run time full load 1.1 hrs.

**WSS EG2800T**

**\$994<sup>00</sup>**  
each plus GST

### Wheel Assembly

- Ideal for many applications.
- 480/400 x 8, 4 ply.
- 4" long center tube with ¾" bore ball bearing.

**HUB 400X8A**

**\$23<sup>69</sup>**  
each plus GST

**NEW ITEM**



WSS S6000

### NEW Pramac Generator

- 10.7 HP, 6,000 watt generator.
- Honda GX340.
- 10.7 net HP @ 3,600 RPM with oil alert.
- Voltage 120/240.
- Recoil start.
- Fuel tank capacity 8 gal/30L.
- Run time full load 10.4 hours.
- Auto idle feature.
- Optional wheel kit available.

**\$3,807<sup>00</sup>**  
each plus GST

### NEW Hose Kits



Part No.	Description	Price
WSS HK1	1" Water Pump Hose Kit	120.00
WSS HK15	1½" Water Pump Hose Kit	190.00
WSS HK2	2" Water Pump Hose Kit	209.00
WSS HK3	3" Water Pump Hose Kit	367.00
WSS WK12	Wheel & Handle Kit for Koshin Waterpumps	247.00

### NEW Cutting Torch Cart

- Comes with Hose Holder.
- Capacity 200 kg. (440 lbs.)
- 13" x 2.5" tires.
- 46" height, 32" width, 24" depth.
- Red powder coated frame.
- Weight 20 kg. (45 lbs.)

**\$81<sup>00</sup>**  
each plus GST

WSS TC2501



**NEW ITEM**



### 3" Water Pump

KOSHIN

- 3" centrifugal pump.
- Maximum capacity 277 GPM (1,048 l/min.)
- Maximum head 82 ft. (25 m) maximum suction 26 ft (7.9 m)
- Recoil start, 6 HP Koshin engine.
- Fuel capacity 0.95 gallons (3.6 l)
- 1.6 hours run time, 1 year warranty.

WSS SEV80B

**\$596<sup>00</sup>**

each plus GST



### 2" Water Pump

KOSHIN

- 2" Centrifugal pump.
- Maximum capacity 164 GPM (620 l/min.)
- Maximum head 82 ft. (25 m)
- Maximum suction 26 ft. (7.9 m)
- Recoil start.
- Fuel capacity 0.95 gallons (3.6 l)
- 2 hours run time.
- 1 year warranty.
- 6 HP Koshin engine.

**\$514<sup>00</sup>**

each plus GST

WSS SEV50B



Partial Listing  
of Implement  
Paints

### Professional Generator



- Hyundai HX208 7 HP engine.
- Manual recoil starter.
- 4,000 Watt peak.
- 3,250 Watt running.
- Unleaded fuel.
- 2 - 120V AC  
1 - 120/240 AC  
1 - 12V DC
- 10 hours run time fuel tank.
- Low oil alert.

WSS HPG4000

**\$934<sup>00</sup>**

each plus GST



### 2" Semi-Trash Water Pump

HONDA  
ENGINES

- Maximum capacity 158 GPM (598 l/min)
- Maximum head 95 ft. (29 m)
- Maximum suction 26 ft. (7.9 m)
- Maximum pressure 41.1 PSI

**\$905<sup>00</sup>**

each plus GST

WSS SEH50T



Made in Canada

### 3" Trash Pump



HONDA  
ENGINES

- Maximum capacity 354 GPM (1,340 l/min.)
- Maximum head 89 ft. (27.1 m), maximum suction 26 ft. (7.9 m)
- Maximum pressure 38.5 PSI
- Honda GX240 engine/8.5 net HP @ 3,600 RPM
- Recoil start.
- 2 hours run time

WSS KTH80X

**\$2,223<sup>00</sup>**

each plus GST



### 2" High Pressure Water Pump

HONDA  
ENGINES

- Maximum capacity 116 GPM (439 l/min)
- Maximum head 187 ft. (57 m)
- Maximum suction 26 ft. (7.9 m)
- Maximum pressure 81.0 PSI
- 2 hours run time

WSS SERH50B

**\$1,207<sup>00</sup>**

each plus GST

LOWER PRICE

### WP Dura-Lite Aluminum ATV Ramps

- Constructed of high tensile 6061-T6 aluminum alloy for strength & durability.
- Plated steel bolts are used to prevent oxidation of the ramp parts.
- Load tie down style safety straps are easy to use.
- Strong tailgate hooks stop the ramp from being pushed into the truck box when loading.
- Model can be left hinged together for motorcycles or for easier storage.

Part No.	Description	Price
WSS BFR69	2 Panel 30" x 69"	134.00

# Special Spring Sale Prices on **WESTWARD**® Tools!



**WESTWARD**

## 25 Piece Combination SAE & Metric Hex Key Wrench Set

- Manufactured from Chrome-Molybdenum for strength and durability.
- Contains  $\frac{1}{16}$ ,  $\frac{1}{8}$ ,  $\frac{3}{16}$ ,  $\frac{1}{4}$ ,  $\frac{5}{16}$ ,  $\frac{1}{2}$ ,  $\frac{9}{16}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$ ,  $\frac{13}{16}$ ,  $1.5$  mm,  $2$  mm,  $2.5$  mm,  $3$  mm,  $4$  mm,  $4.5$  mm,  $5$  mm,  $5.5$  mm,  $6$  mm,  $7$  mm,  $8$  mm,  $9$  mm,  $10$  mm.
- Includes vinyl pouch.

WSW HKP25  
**\$24<sup>99</sup>**

set plus GST (Regular \$27.75)

**SALE**



**WESTWARD**

## 20 Piece 1/2" Drive 6 Point Professional Series SAE Socket Set

- Standard 6 point sockets:  $\frac{7}{16}$ ,  $\frac{1}{2}$ ,  $\frac{9}{16}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$ ,  $\frac{13}{16}$ ,  $\frac{15}{16}$ ,  $1$ ,  $1\frac{1}{8}$ ,  $1\frac{1}{4}$ ,  $1\frac{3}{8}$ ,  $1\frac{1}{2}$ .
- Quick-release ratchet;  $16$ " flex handle; universal joint;  $5$ " extension;  $10$ " extension.
- Includes high impact case.

WSW SK12620  
**\$142<sup>00</sup>**

set plus GST (Regular \$165.09)

**SALE**



**WESTWARD**

## 5 Piece Heavy Duty Plier Set

- Includes  $10$ " groove joint,  $8$ " linesman,  $8$ " slip-joint,  $7$ " side cutter and  $6$ " long nose.
- Forged chrome nickel with storage tray.

WSW PK5  
**\$74<sup>99</sup>**

set plus GST (Regular \$83.87)

**SALE**

**WESTWARD**

## Economy Adjustable Wrenches

- Drop forged alloy steel.
- Wide handles for better comfort.



WSW AG8  
**\$11<sup>99</sup>**

each plus GST (Regular \$13.58)

**SALE**

WSW AG10  
**\$13<sup>99</sup>**

each plus GST (Regular \$15.02)

**SALE**

WSW AG12  
**\$18<sup>99</sup>**

each plus GST (Regular \$20.86)

**SALE**

**WESTWARD**

## Bench Vise

- All steel construction,  $360^\circ$  swivel base with positive lock. Built-in pipe jaw and anvil.
- Heavy-duty castings for reliability and long life.
- Precision main screw and nut for smooth operation and clamping strength.
- Replaceable hardened jaw for reliable hold.



WSW V8  
**\$199<sup>98</sup>**

set plus GST (Regular \$231.34)

**SALE**



**WESTWARD**

**SALE**

## 57 Piece 3/8" Drive Professional Series Socket Set

- Standard SAE sockets – 6 point:  $\frac{1}{4}$ ,  $\frac{5}{16}$ ,  $\frac{3}{8}$ ,  $\frac{7}{16}$ ,  $\frac{1}{2}$ ,  $\frac{9}{16}$ ,  $\frac{11}{16}$ ,  $\frac{5}{8}$ ,  $\frac{13}{16}$ ,  $\frac{15}{16}$ ,  $1\frac{1}{8}$ ,  $1\frac{3}{16}$ ,  $1\frac{1}{4}$ .
- Deep SAE – 6 point:  $\frac{1}{8}$ ,  $\frac{5}{16}$ ,  $\frac{7}{16}$ ,  $\frac{1}{2}$ ,  $\frac{9}{16}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$ ,  $\frac{13}{16}$ ,  $\frac{15}{16}$ ,  $1\frac{1}{8}$ ,  $1\frac{3}{16}$ .
- Standard metric – 6 point:  $6$ ,  $7$ ,  $8$ ,  $9$ ,  $10$ ,  $11$ ,  $12$ ,  $13$ ,  $14$ ,  $15$ ,  $16$ ,  $17$ ,  $18$ ,  $19$ ,  $21$ ,  $22$  mm.
- Deep metric – 6 point:  $8$ ,  $9$ ,  $10$ ,  $11$ ,  $12$ ,  $13$ ,  $14$ ,  $15$ ,  $16$ ,  $17$ ,  $18$ ,  $19$  mm.
- Drive quick-release ratchet; universal joint;  $3$ " extension;  $6$ " extension;  $10$ " extension;  $\frac{5}{8}$ " and  $\frac{13}{16}$ " spark plug socket.
- Includes high impact case.

WSW SK3857  
**\$196<sup>99</sup>**

set plus GST (Regular \$227.36)



**WESTWARD**

**SALE**

## 18 Piece Raised Panel Metric Drop Forged Combination Wrench Set

- Contains:  $7$  mm,  $8$  mm,  $9$  mm,  $10$  mm,  $11$  mm,  $12$  mm,  $13$  mm,  $14$  mm,  $15$  mm,  $16$  mm,  $17$  mm,  $18$  mm,  $19$  mm,  $20$  mm,  $21$  mm,  $22$  mm,  $23$  mm,  $24$  mm.
- Drop forged alloy steel.
- Includes a vinyl pouch.

WSW CRK18M  
**\$96<sup>99</sup>**

set plus GST (Regular \$107.71)



## Idler Pulleys

- Protective zinc plating.
- Noiseless, precision ball bearings.

Part No.	Description	Price
V-Belt	PTP 55950	3" O.D., 1/2" bore
	PTP 55957	5" O.D., 5/8" bore
Flat Belt	PTP 55960	2- 3/4" O.D. 5/8" bore
	PTP 55965	6" O.D., 1/2" bore

## Weld-on Sprockets & Hubs

Partial Listing



- Makes repairs more affordable.
- High quality steel.
- Black oxide finish.
- Sprocket I.D. has machined bore for tight fits when welding.
- Hubs complete with keyway & setscrew.

HUBS Price Examples	Price	SPROCKETS Price Examples	Price
PTP 10012V	4.52	PTP 4015V	4.95
PTP 20016W	6.40	PTP 4020X	6.36
PTP 30016X	7.51	PTP 5020X	10.22
		PTP 5030X	20.20
		PTP 6015X	10.45
		PTP 8020X	32.21



## 8 Piece Jumbo Raised Panel SAE Combination Wrench Set

- Contains: 1 1/16", 1 1/8", 1 1/4", 1 1/2", 1 5/8", 1 3/4", 1 7/8", 2"
- Chrome vanadium steel.



\$400.00



set plus GST (Regular \$484.42)

Priced from  
**\$2625**

each plus GST

## Rotary Cutter Blades

Partial Listing of Rotary Cutter Blades



Part No.	Description
CUT 08326	To fit Bush Hog 5, 6, 12, 105, 266, 305, 504, 600 heavy duty (3 1/2")
CUT 08327	To fit Bush Hog 6, 206, 306, 304 heavy duty (3 1/2")
CUT 08328	To fit Bush Hog 7, 307, 183 heavy duty (3 1/2")
CUT 08331	To fit Bush Hog 126, 315, 1126, 1310, 1315, Uplift, CCW
CUT 08316	To fit John Deere 509, 609, 709, 1008, 1508, CCW
CUT 08317	To fit John Deere 1008, 1508, 737, CW
CUT 08346	To fit Howse 5'
CUT 08382	To fit Woods 80, MD80
CUT 08388	To fit Woods M5, Cadet 50, also replaces 8833
CUT 08394	To fit Woods MR105, S105-1, S105-2, SM2090, R105, D210R-2
CUT 08399	To fit Woods S105-3, D210R2, D210-3, D315-3, SM2090

# We've got the tools to suit your needs!

Partial Listing  
of TX Hydraulic Cylinders



## TX Series Hydraulic Cylinders

- Value engineered.
- 2500 PSI working pressure.
- Weight reduced compared to standard cylinders with the same strength.

2" bore x 8" stroke  
**HYD 648518**

**\$116<sup>93</sup>**  
each plus GST

3" bore x 8" stroke  
**HYD 648520**

**\$128<sup>72</sup>**  
each plus GST

4" bore x 8" stroke  
**HYD 661089**

**\$188<sup>60</sup>**  
each plus GST

## Adjustable Toplink

- Category II
- 1" pin holes
- Expands from 25" to 37" in size, pin to pin



**3PP 337**  
each plus GST

**\$54<sup>38</sup>**  
each plus GST

## Ingersoll Rand Air Tools

- ½" ultra-duty ratchet air tool
- 750 ft./lbs. maximum reverse torque.



**\$433<sup>13</sup>**  
each plus GST

**CAT 2135TIMAX**

## Ingersoll Rand Air Tools

- ¾" super-duty ratchet air tool.



**\$641<sup>07</sup>**  
each plus GST



**CAT 261**

## Hydraulic Cylinders

- Tie Rod Style.
- 2,500 PSI working pressure.

2" bore x 8" stroke  
**HYD 639287**

**\$139<sup>75</sup>**  
each plus GST

3" bore x 8" stroke  
**HYD 639289**

**\$157<sup>50</sup>**  
each plus GST

4" bore x 8" stroke  
**HYD 639291**

**\$217<sup>71</sup>**  
each plus GST

Partial Listing  
of Hydraulic Cylinders



## Air Hose Assemblies

Partial Listing Only

- Designed for a wide range of agricultural, industrial and residential applications!
- 300 PSI water pressure.
- Abrasion – resistant EPDM rubber tube and cover. Heavy – duty reinforcement
- Working temperature range: -40°F to +160°F
- Strain relief sleeve.
- Brass fittings with male NPT threads.

Part No.	Description	Price
HOS AH252525	Air hose ¼" x 25' w/ ¼" MNPT	23.65
HOS AH255025	Air hose ¼" x 50' w/ ¼" MNPT	38.38
HOS AH385025	Air hose ⅜" x 50' w/ ⅜" MNPT	45.49
HOS AH385038	Air hose ⅜" x 50' w/ ⅜" MNPT	45.99



LOWER PRICES

## Ingersoll Rand Air Tools

- ⅜" heavy-duty ratchet air tool



**\$137<sup>03</sup>**  
each plus GST

## Ingersoll Rand Air Tools

- Reversible angle drill



**\$132<sup>35</sup>**  
each plus GST

**CAT 7807R**

## Grinding Discs & Emery Cloths

- Abrasives!

Part No.	Description	Price
GHT DB1030	Emery Cloth 1x10 Yd 80 Grit	8.00
GHT DB1040	Emery Cloth 1x10 Yd 100 Grit	8.00
GHT DB1060	Emery Cloth 1x10 Yd 150 Grit	8.00
GHT DB1070	Emery Cloth 1x10 Yd 180 Grit	8.00
GHT AA1025	Grinding Disc 5 x ⅛ x ⅞	3.02
GHT AA1030	Grinding Disc 5 x ¼ x ⅞	3.91

## Air Chucks

- Designed & manufactured to exacting standards!
- Call for pricing & availability.



## Milton Blo-Guns

- A Milton product!
- Call for pricing & availability.



# A full load of great products!



**Agri-Fab**  
Tough Tools. Extreme Utility Solutions.

## Tandem-Axle Dump Cart

- Steel bed with scratch-resistant, powder-coated paint finish for longer product life
- 1,000 lb. load capacity for really big loads
- Four-wheel, two axle design for better balanced loads
- Tube rails add height and improve load stability.
- Extra-large, 18" x 9.5" all-terrain pneumatic tires allow for easy maneuverability
- Wheel bearings feature grease zerks for easy maintenance and long life
- 246 lbs. weight
- 80" x 52" x 36" assembled

**\$1,071<sup>00</sup>**  
each plus GST



## Convertible Poly 8" Dump Cart

- Durable poly construction cleans up quickly and lasts for years.
- 350 lb. load capacity for light jobs.
- 14" x 4" pneumatic tires allow for easy maneuverability.
- Converts in seconds between push and tow cart for versatility.
- 63 lbs. weight.

**\$271<sup>00</sup>**  
each plus GST



**Agri-Fab**  
Tough Tools. Extreme Utility Solutions.

GMR 45-0175

## Poly Explorer Cart

- Durable poly construction cleans up quickly and lasts for years.
- 650 lb. load capacity for big jobs.
- 18" x 6.5" all-terrain pneumatic tires allow for easy maneuverability over rough terrain.
- Wheels feature needle bearings and grease zerks for easy maintenance and long life.
- 90 lbs. weight.

**\$505<sup>00</sup>**  
each plus GST



GMR 45-0240ATV

## Steel Dump Cart

- Steel bed with scratch-resistant, powder-coat paint finish for longer product life.
- Impressive 1,200 lb. load capacity.
- 16" x 6.5" ATV tires allow for easy maneuverability over rough terrain.
- Wheel bearings feature grease zerks for easy maintenance and long life.
- One lever release handle for easy emptying.
- 140 lbs. weight.
- 70" x 37" x 33" assembled.

**\$674<sup>00</sup>**  
each plus GST



GMR 45-0101-999

**Agri-Fab**  
Tough Tools. Extreme Utility Solutions.

## Utility 750 lb. Tow Dump Cart

- Steel bed with scratch-resistant, powder-coat paint finish for longer product life.
- 750 lb. load capacity for the large loads.
- 16" x 4" pneumatic tires allow for easy maneuverability over rough terrain.
- Wheel bearings feature grease zerks for easy maintenance and long life.
- 93 lbs. weight.
- 70" x 33" x 29" assembled.

**\$271<sup>00</sup>**  
each plus GST



GMR 45-0184

## Agri-Fab 17 cu. ft. Heavy Duty Dump Cart

- Steel bed with scratch-resistant, powder-coat paint finish for longer product life.
- Impressive 1,500 lb. load capacity.
- 16" x 6.5" pneumatic tires allow for easy maneuverability over rough terrain.
- Wheel bearings feature grease zerks for easy maintenance and long life.
- 148 lbs. weight.
- 82" x 37" x 33" assembled.

**\$429<sup>00</sup>**  
each plus GST



GMR 40464

**Agri-Fab**  
Tough Tools. Extreme Utility Solutions.

## Smart Dumping Cart

- Extra large capacity!
- Unloads and dumps heavy materials in one easy stepping motion—an Agri-Fab® exclusive.
- Tires designed for easy maneuverability.
- Durable cart cleans up easily.
- Functional tailgate and recessed hardware make dumping effortless.

**\$561<sup>00</sup>**  
each plus GST

**NEW  
ITEM**

# At these prices you'll be sitting pretty!

## Garden Tractor Seat

- Steel pan with trimmed edge.
- Vinyl covered molded cushions.
- Drain hole and contoured for air-flow.
- Safety switch cavity.

**\$92<sup>58</sup>**

each plus GST



ACC 135

## Garden Tractor Seat

- Integral polyurethane /steel frame construction.
- Waterproof.
- Universal mount.
- Safety switch cavity.

**\$78<sup>85</sup>**

each plus GST



ACC 115

LOWER PRICE

## Tractor Seat

- Deluxe high-back seat poly-vinyl, yellow.
- Vinyl covered polyurethane.
- Waterproof.
- Slides.

**\$164<sup>57</sup>**

each plus GST



ACC 140YEL



ACC 550

## Tractor Seat

- Steel back construction.
- HD yellow-vinyl cover on high density foam.
- Replaces JD#TY9326

**\$147<sup>44</sup>**

each plus GST

## Stir things up with our great prices on rototillers!



### Standard Features

#### - RTF Models

- Rotary tiller, commercial duty.
- Cat. I-3 pt. hitch.
- Single speed gearbox.
- PTO 540 rpm
- Included PTO shaft.
- Side drive by chain in oil bath.
- Outer rotor blades oriented inside (When rotor with even number of blades only.)
- Depth control by skids.
- Massive A hitch frame.
- Stand jack with 2 positions.



### Standard Features

#### - RTL Models

- Light rotary tiller, compact duty Cat. I-3 pt. hitch
- Single speed gearbox PTO 540 rpm
- Included PTO shaft, side drive by chain in oil bath.
- Outer rotor blades oriented inside (when rotor with even no. of blades only)
- Depth control by skids.
- Massive A hitch frame.
- Stand jack with 2 positions.



AL Series



AFMJ Series

Part No.	Description	Price
GMR RTL-110/4	42" Tiller, 4 blades/flange, w/slip clutch	2,560.00
GMR RTL-135/4	52" Tiller, 4 blades/flange, w/slip clutch	2,674.00
GMR RTL-160/4	63" Tiller, 4 blades/flange, w/slip clutch	2,938.00
GMR RTL-110	42" Tiller, 6 blades/flange, w/slip clutch	2,684.00
GMR RTL-135	52" Tiller, 6 blades/flange, w/slip clutch	2,824.00
GMR RTL-160	63" Tiller, 6 blades/flange, w/slip clutch	2,938.00
GMR RTF-160	63" Tiller, 6 blades/flange, w/slip clutch	3,714.00
GMR RTF-185	72" Tiller, 6 blades/flange, w/slip clutch	3,852.00

Part No.	Description	Price
GMR AL40/6	42" Tiller, 24 blades, 6 blades/flange	2,684.00
GMR AL50/6	52" Tiller, 30 blades, 6 blades/flange	2,824.00
GMR AL60/6	63" Tiller, 36 blades, 6 blades/flange	2,938.00
GMR AFMJ60/6	63" Tiller, 36 blades, 6 blades/flange	3,714.00
GMR AFMJ70/6	72" Tiller, 42 blades, 6 blades/flange	3,852.00

# Clean things up!

## Round Back Rotary Cutters

- Category I - 3 point hitch!
- 4', 5' or 6'
- Features formed sheet metal decking with cross bracing at front, rear and midsection.
- Floating hitch follows contour of terrain.
- 20" diameter stump jumper.
- $\frac{1}{2}'' \times 3''$  forged, heat treated blades.
- 16" diameter solid rubber tail wheel.
- 10 gauge formed deck.
- 40 HP gearbox.
- Category 4 driveline.
- 540 RPM PTO



**NEW ITEM**

Part No.	Description	Price
GMR TC10-400R	4' Round Back Rotary Cutter	\$1,468.00
GMR TC10-500R	5' Round Back Rotary Cutter	\$1,567.00
GMR TC10-600R	6' Round Back Rotary Cutter	\$1,773.00



## AGRiC Finishing Mower

- Includes chain guard!
- Rear discharge.
- Category I - 3 point hitch.
- PTO at 540 rpm

**LOWER PRICE**

- 4 caster wheels with solid rubber flotation tires.
- 3 belt - driven blades.
- With chain guard.

Part No.	Total Width	Cutting Height	Weight	HP Required	Price
GMR DMJ-60	60" (1.52 m)	1.5"-5" (3.8-12.7 cm)	390 lbs. (177 kg.)	25-50	\$2,042.00
GMR DMJ-70	73" (1.83 m)	1.5"-5" (3.8-12.7 cm)	547 lbs. (248 kg.)	25-60	\$2,394.00

## Economy Power Washer

- 2,200 PSI @ 2.1 gpm
- Briggs & Stratton 550 Series Sprint engine (4 HP)
- Simpson Axial Cam Pump.
- 25 foot high-pressure hose.
- Ergonomic spray gun.
- Vario nozzle.
- 10" pneumatic tires.
- Ergonomic handle design.

**\$491<sup>00</sup>**  
each plus GST



SIMPSON

WSS MSV2200

## Heavy-Duty Power Washer

- 3,000 PSI @ 2.8 gpm
- Honda® GX200 Commercial Series OHV engine with Oil Alert (6.5 HP)
- CATPUMP® 3DNX Series triplex pump.
- Direct drive engine and pump system.
- Built-in chemical injector.
- Thermal relief valve.
- 25 foot high-pressure hose w/QC connectors.
- 10" mag wheels.
- Professional spray gun and wand.
- Includes 5 quick-connect spray nozzles.

SIMPSON



**\$1,132<sup>00</sup>**

## Economy Power Washer

- 3,000 PSI @ 2.4 gpm
- Honda® GCV190 engine (6 HP)
- Simpson Axial Cam Pump® with Powerboost®
- 25 foot high-pressure hose.
- Profi 200 ergonomic spray gun.
- Quick-connect lance with 3 quick-connect nozzles.
- 10" pneumatic tires.
- Ergonomic handle design.

HONDA  
ENGINES

**\$735<sup>00</sup>**  
each plus GST

SIMPSON

WSS MSV3000

## WP Vehicle Wash

- 4 litre bottle.

**\$27.53**

4 litre bottle plus GST

LUB WP5104



## Soap Holder

- Handy attachment for your pressure washer.

**\$6<sup>00</sup>**

each plus GST  
(soap not included)

**LOWER PRICE**

WSS 74848



# Connect to great savings with Pioneer's products!



## Hydraulic Clamps



HYD 5006-4

- Double breakaway clamp for couplings with 1½" diameter sleeve.

**\$16<sup>79</sup>**

each plus GST



HYD 9006-4

- Double breakaway clamp for use with 9250 lever coupler.

**\$28<sup>47</sup>**

each plus GST



## Quick Disconnect Adapters

- If you have different style male tips and female bodies, Pioneer has the answer! Quick disconnect adapters make the connection easy!
- Pioneer style male tip to John Deere old style.

**\$28<sup>90</sup>**

each plus GST

HYD 4060-4MB



- John Deere old style male tip to Pioneer style female body.

HYD 4065-4MB



**\$34<sup>42</sup>**

each plus GST

- Pioneer style male tip to International old style female body.

HYD 4070-4MB



**\$31<sup>17</sup>**

each plus GST



## Dust Plugs



Part No.	Description	Price
HYD 5205-4M	For use with all ½" couplings. PVC - 1 piece	2.69
HYD 5005-4	For use with all ½" couplings. Metal	6.91
HYD 5205-4	For use with all ½" couplings. Rubber w/chain	4.68



Partial Listing of Poppet Style Male Tips

## Poppet Style Male Tips

- Ideal for applications where "bubble tight sealing" of hydraulic fluid is desired!
- Poppet valving on both male & female halves.
- Buna-N-nitrite seals.
- Steel construction with zinc and yellow chromate finish to prevent corrosion.

Part No.	Description	Price
HYD 4010-2P	Male tip. ¼" NPTF thread. 3,000 PSI rated pressure	8.27
HYD 4010-3P	Male tip. ⅜" NPTF thread. 3,000 PSI rated pressure	10.10
HYD 8010-4PMB	Male tip. ½" NPTF thread. 3,000 PSI rated pressure	8.83
HYD 8010-15P	Male tip. ¾" 16 thread, o-ring boss, 3,000 PSI rated pressure	13.07
HYD 4010-6P	Male tip. 1" NPTF thread. 3,000 PSI rated pressure	32.90



## Quick Disconnect



HYD 4000-2P

- General purpose coupling that connects when pressure has been relieved!
- Poppet valving on both male and female halves.
- ¼" NPTF thread size, 3,000 psig, complete coupling, poppet style

**\$27<sup>71</sup>**

each plus GST



HYD 4000-4MB



## Breakaway Kits

- For connect and disconnect with pressure, on tractor side, implement side, or both
- 2 of 8250-4 female bodies, 2 of 8010-4 male tips, 1 of 5006-4 clamp, 2 of 5209-4 dust caps, 2 of 5205-4 dust plugs

**\$133<sup>08</sup>**

kit plus GST

HYD 8500-4

- For connect and disconnect at zero pressure, even with pressurized lines. Contains 2 of 9250 female bodies, 1 of 9507-4-1H automatic dust cover, 1 of 9006-4 double breakaway clamp.

**\$223<sup>28</sup>**

kit plus GST

HYD 9500-4



- General purpose coupling that connects when pressure has been relieved!

- ½" NPTF thread size, 3,000 psig, complete coupling.

- Ball type valving.

**\$31<sup>83</sup>**

each plus GST

# Get your driveline running smoothly!



## PTO Adapters

- Quick release type

Part No.	Size	Price
PTO 15865	21 spline 1 1/8" female x 6 spline, 1 1/8" male	68.74
PTO 4900	7/8" round female with keyway and grub screw x 1 1/8" 6 spline quick release	99.20
PTO 4901	1" round female with keyway and grub screw x 1 1/8" 6 spline quick release	100.08

## Heavy Duty PTO Adapters

- Female 1 1/4" x 20 spline  
Male 1 1/8" x 21 spline. 7 7/8" long
- Female 1 1/4" x 20 spline  
Male 1 1/8" x 6 spline. 7 7/8" long

PTO HD8441

**\$118<sup>70</sup>**  
each plus GST



PTO HD8443

**\$118<sup>70</sup>**  
each plus GST

## PTO Adapters

- Female 1 1/8" x 21 spline
- Male 1 1/4" x 20 spline
- Extends PTO 5".
- Up to 75 HP

**\$183<sup>33</sup>**  
each plus GST



PTO 0332-00070

## PTO Adapters

- Female 1 1/8" x 21 spline.
- Male 1 1/8" x 6 spline.
- Extends PTO 4 1/8".
- Up to 75 HP

**\$59<sup>21</sup>**  
each plus GST



PTO 0332-01375

## PTO Sleeve Adapters

- We carry the two most common sizes!
- Female 1 1/8" x 6 spline. Male 1 1/8" x 6 spline.  
2 3/16" long
- Female 1 1/8" x 6 spline.  
Male 1 1/8" x 6 spline.  
1 1/8" long



LOWER PRICE

PTO 249  
**\$1198**  
each plus GST

PTO 253  
**\$2030**  
each plus GST

PTO 1000606



Partial Listing of PTO items

## PTO Parts – Driveline Parts


- Featuring American, Bondioli & Pavesi, Walterscheid!
- Original equipment quality for American, German and Italian PTO parts.
- Cross and bearing kits, tube weld yokes, tractor yokes.
- Shaft weld yokes, implement yokes, tubes, shafts, plastic.

PTO 7007961

Part No.	Description	Price
<b>American</b>		
PTO 1000606	6 series tractor yoke 1 1/8" diameter – 6 spline	38.00
PTO 2000600	6 series cross & bearing	10.88
<b>Bondioli &amp; Pavesi</b>		
PTO 4006229	2 series inner tube 1 1/32" diameter	51.42
PTO 2006580	5 series cross & bearing	32.71
<b>Walterscheid</b>		
PTO 7007961	2500 series outer profile yoke star 61 mm inside diameter	73.17
PTO 2008261	2200 series cross & bearing	19.77

## PTO Parts – Complete Drivelines

- Units are complete with 1 1/8" 6 spline tractor QD yoke but do not include implement yoke.
- Shielding is included.



Priced from  
**\$121<sup>00</sup>**  
each plus GST

## PTO "E" Kits



- "E" Kits – Extended Lubrication
- North American Series 6, 12, 14, 35, 44, 55
- Metric series interchanges with: B/P Series 1, 2, 3, 4, 5, 6, 8 W/S series 2100, 2200, I, 2300, 2400, 2500, 2600
- Higher torque capacity.
- More production between lube cycles.
- Reduced downtime on drivelines.
- Orange triple lipped seal for longer life.
- Large roller bearing.



## PTO Sleeve Adapters

- We carry the two most common sizes!
- Female 1 1/8" x 6 spline. Male 1 1/8" x 6 spline.  
2 3/16" long
- Female 1 1/8" x 6 spline.  
Male 1 1/8" x 6 spline.  
1 1/8" long

PTO 249  
**\$1198**  
each plus GST

PTO 253  
**\$2030**  
each plus GST



PTO 5606006  
**\$162<sup>07</sup>**  
each plus GST

## Universal Friction Clutch

- 1 1/8" x 6 spline input.
- Clutch setting 8,000 in-lbs.
- 1 1/8" x 6 spline output.



# CTD Standard Hubs


## To fit a variety of makes!

- Hubs are supplied with cups - bearings extra.
- Hubs are supplied with grease zerk pressed in.
- Hub capacities are based on 20,000 mile LB10 bearing life at tractor speed (20 mph) and 14,000 PSI maximum fiber stress on the spindle in the rear bearings and seal area!

Made in Canada

Priced from  
**\$2635**  
each plus GST

No. of Bolts	Hub Series	Pilot Diameter	Bolt Circle Diameter
4	HUB H400	3.62	5.00
5	HUB H500	4.00	5.50
6	HUB H600	4.62	6.00
8	HUB H800	6.00	8.00




No. of Bolts	Hub No.	Capacity (lbs.)	Bore	Inner Cone	Cup	Bore	Outer Cone	Cup	Bolt No.	Nut No.	Seal No.	Dust Cap	A	B	C	D	Spindle Series
4	HUB HD211	750	1.00	L44643	L44610	1.00	L44643	L44610	WB10	-	SE10	DC11	2.37	1.00	0.87	1.31	S210
5	HUB HD213	750	1.00	L44643	L44610	1.00	L44643	L44610	WB10	-	SE10	DC11	2.37	1.00	0.87	1.25	S210
4	HUB H411	1250	1.25	LM67048	LM67010	0.75	LM11949	LM11910	WB10	-	SE11	DC12	1.18	0.93	0.93	0.37	S411
4	HUB H413	1500	1.25	LM67048	LM67010	0.75	LM11949	LM11910	WB10	-	SE11	DC24	2.00	0.93	1.06	0.56	S413
5	HUB H510	1250	1.25	LM67048	LM67010	0.75	LM11949	LM11910	WB10	-	SE11	DC12	1.18	0.93	0.93	0.37	S510
5	HUB H511	1800	1.25	LM67048	LM67010	0.75	LM11949	LM11910	WB10	-	SE11	DC12	2.03	1.00	0.93	0.63	S511
5	HUB H516	1840	1.37	LM48548	LM48510	0.75	LM11949	LM11910	WB10	-	SE14	DC12	2.03	1.00	1.09	1.00	S516
5	HUB H517	2760	1.37	LM48548	LM48510	1.25	LM67048	LM67010	WB16	WB11	SE13	DC13	1.56	1.00	1.00	0.31	S517
5	HUB H519	1680	1.50	13685	13621	1.18	15118	15250	WB16	WB11	SE13X	DC15	2.93	1.12	1.37	1.81	S519
5*	HUB H520*	3000	1.37	14136A	14276	1.37	14136A	14276	WB16	WB11	SE13	-	5.00	1.00	1.00	2.37	-
6*	HUB H609*	3000	1.25	LM67048	LM67010	1.25	LM67048	LM67010	WB12	-	SE12	-	-	-	-	-	-
6	HUB H611	3600	1.50	LM29749	LM29710	1.25	LM67048	LM67010	WB10	-	SE13	DC13	1.56	1.00	1.06	1.62	S611
6	HUB H611-1-J	3600	1.50	JLM69349	JLM69349	1.25	LM67048	LM67010	WB10	-	SE14	DC13	1.56	1.00	1.06	1.62	-
6	HUB H614	5000	1.78	LM603049	LM603012	1.37	LM48510	LM48510	WB12	-	SE16	DC15	1.75	1.37	1.37	1.62	S614
6	HUB H615	5000	1.78	LM603049	LM603012	1.37	LM48548	LM48510	WB12	-	SE29	DC15	1.75	1.37	1.37	1.62	S614
6*	HUB H617*	3500	1.50	13686	13621	1.50	13686	13621	WB16	WB11	SE24	-	5.00	1.06	1.00	3.37	-
6	HUB H618	6000	1.75	25580	25520	1.37	LM48548	LM48510	WB12	-	SE30	DC15	2.53	1.53	1.06	1.09	S618
6	HUB H630	3500	1.62	LM501349	LM501310	1.25	LM67048	LM67010	WB41	WB40	SE44	DC13	2.84	1.43	0.93	1.59	S630
8	HUB H811	5050	1.79	25590	25520	1.37	25877	25821	WB12	-	SE41	DC17	2.50	1.75	1.50	0.87	S811
8	HUB H817	7500	2.25	387AS	382A	1.62	LM501349	LM501310	WB46	WB18	SE42	DC26	3.75	1.62	1.37	1.68	S817

\*Straddle Hubs

# CTD Spindles

## Precision Machined!

- The spindles are precision machined from C-1045 medium carbon steel bars. Straight spindles made from hot rolled or cold drawn bars.



Spindle Series	A	B	C	D	E	F	N
HUB S210-A36	1.25	1.21	1.00/0.998	1.00/0.998	3/4-16 UNF	9.00	4.15
HUB S411-A09	1.50	1.50	1.25/1.248	0.75/0.748	3/4-16 UNF	10.00	2.93
HUB S511-A01	1.63	1.50	1.25/1.248	0.75/0.748	3/4-16 UNF	10.00	3.81
HUB S516-A03	1.63	1.62	1.375/1.373	0.75/0.748	3/4-16 UNF	10.00	3.87
HUB 517-A02	1.75	1.75	1.375/1.373	1.25/1.373	7/8-14 UNF	10.00	3.65
HUB S519	1.75	1.75	1.5/1.498	1.189/1.187	7/8-14 UNF	10.00	5.28
HUB S611-A04	2.00	1.75	1.5/1.498	1.250/1.248	1-14 UNS	10.00	3.75
HUB S614-A05	2.00	2.00	1.781/1.779	1.375/1.373	1-14 UNS	10.00	4.09
HUB S618-A17	2.00	2.00	1.75/1.748	1.375/1.373	1-14 UNS	13.00	5.00
HUB S630-A01	2.00	2.00	1.625/1.623	1.25/1.248	7/8-14 UNF	11.00	5.15
HUB S811	2.75	2.00	1.796/1.794	1.375/1.373	1-14 UNS	14.00	5.28
HUB S812-A27	2.75	2.50	2/1.998	1.312/1.31	1-14 UNS	14.00	5.46
HUB S817-A03	3.00	3.00	2.25/2.248	1.625/1.623	1 1/4-12 UNF	16.00	6.43

Priced from  
**\$1552**  
each plus GST



# Bearings & Seals

## WP Bearings & Seals

Our own brand!



Sealed ball bearings, electric motor bearings, swather roller bearings, flange bearings, needle bearings, agricultural bearing inserts, bearing housings, flanettes, discer bearings, bronze bushings, taper roller bearings, tapered sealed cones, trailer and automotive wheel bearings, o-rings and much more!

### Flanged Light Duty Bearings

- Light duty bearings!



Inserts	
Part No.	Price Each
BEI ASF100-2	4.92
BEI ASF107-5	2.44
BEI ASF107-3	2.44
BEI ASF132-1	2.18
BEI ASF132-1B	1.84
BEI ASF152-2	6.13

### BELLOTA Disc Blades



- Plain & notched!

Plain -Priced from \$30.78		Notched -Priced from \$37.26	
Size	Description	Size	Description
16"	3.0mm - 11 gauge 1 1/8" concavity	18"	3.5mm - 10 gauge 1 1/8" concavity
18"	3.5mm - 10 gauge 1 1/8" concavity	20"	5.0mm - 7 gauge 2 1/8" concavity
20"	5.0mm - 7 gauge 2 1/8" concavity	22"	6.0mm - 1/2" gauge 2 1/8" concavity
22"	6.0mm - 1/2" gauge 2 1/8" concavity	24"	6.0mm - 1/4" gauge 3 1/2" concavity
24"	6.0mm - 1/4" gauge 3 1/2" concavity	26"	8.0mm - 5/16" gauge 4 1/8" concavity



Sample Part #DIS 100 \_\_\_\_



Sample Part #DIS 110 \_\_\_\_

### Rock Shares

- 3/8" blade
- Forged from an upsetting operation for added strength and wearability



ROCK SHARES

Ball Bearings		Taper Bearings		Housings		Inserts	
Part No.	Price Each	Part No.	Price Each	Part No.	Price Each	Part No.	Price Each
BEI 6203-2RS	2.95	BEI LM11910	2.08	BEI P205	5.87	BEI SA204-12	8.49
BEI 6204-2RS	3.43	BEI LM11949	4.53	BEI P206	7.25	BEI SA205-16	7.74
BEI 6205-2RS	4.53	BEI LM67010	2.30	BEI P207	9.83	BEI SA206-20	9.59
BEI 203KRR2	7.38	BEI LM67048	4.92	BEI P208	11.06	BEI SA208-24	13.42
BEI Z9504B	6.50			BEI F205	5.87	BEI UC205-16	7.74
				BEI F206	7.25	BEI UC206-20	9.11
				BEI F207	9.83	BEI UCX10-31	52.97
				BEI F208	11.06	BEI C1100KRRB	8.49
						BEI C1106KRRB	13.90
						BEI C1108KRRB	15.63
						BEI C1115KRRB	21.91

### Disc Bearings

Part No.	Price
BEI W208PPB2	23.75
BEI W209PPB5	27.07
BEI W210PPB2	32.52
BEI W214PPB9	72.06



### CTD Implement Wheels



Made in Canada

Priced from  
**\$45.19**  
each plus GST

Part No.	Dia.	Width	No. of Bolts	Capacity	Hub Series
HUB 15x5x4	15	5	4	1,250	H400
HUB 15x6x5	15	6	5	2,000	H500
HUB 15x6x6	15	6	6	3,000	H600
HUB 15x8x6	15	8	6	3,000	H600
HUB 15x8x8	15	8	8	5,000	HD800
HUB 16x8x6	16	8	6	3,000	H600
HUB 16x8x8	16	8	8	4,000	HD800

### Tiller Blades



- Many different styles for hundreds of different machines.

Priced from  
**\$10.23**  
each plus GST

### Grease Injector

- Lubricate sealed bearings!
- Injector goes under or through the seal.

**\$4.60**  
each plus GST

LUB CGI-198



### Harrow Tines

- Fits a variety of makes!

Part No.	Description	Price Each
TIN 1-061	Fits Morris #H-4087, 3/8 x 16" bent Also fits Project, Degelman, Friggstad, Riteway, Bourgault, Leon	6.84
TIN 1-062	Fits Morris #H-1791, 3/8 x 16" straight Also fits Project, Degelman, Friggstad, Riteway, Bourgault, Leon	7.40
TIN 1-053	Fits Flexi-Coil #1334, Ajax, C.C.I.L., Inland, Smith-Roles	6.48
TIN 1-044	Fits Wil-Rich #16249, 3/8 x 16"	6.61
TIN 1-067	Fits John Deere #136767, 3/8 x 12"	5.55
TIN 1-084	Fits Degelman #14301, 3/8 x 16"	7.99
TIN 1-096	Fits Case-IH #814800C1 on mulcher, mounted harrow, 3/8 x 16"	7.36
TIN 1-097	Fits Bourgault #60120 on mounted harrow	6.50

### Heavy Harrow Tines

Part No.	Description	Price
TIN 2-039	To fit Summers 1/2" x 18"	23.05
TIN 2-018	To fit Bourgault 7/16" x 20"	24.70
TIN 2-089	To fit Degelman, Flexi-Coil, Gates, Riteway 1/2" x 22"	24.83
TIN 3-037	To fit Riteway, Summers 3/8" x 24"	23.82
TIN 2-030	To fit Bergen, Summers 1/2" x 20"	24.72
TIN 3-038	To fit Brandt, Bourgault 7200, Flexi-Coil, Riteway, Summers 3/8" x 26"	24.34
TIN 3-040	To fit Degelman 7/16" x 26" straight	25.17
TIN 3-041	To fit Degelman 7/16" x 26" curved	28.35
TIN 4-007	To fit Brandt, Bourgault 7200, Degelman, Gates 3/8" x 27"	38.22
TIN 2-011	To fit Degelman 1/2" x 26"	24.72

# Chains of every sort and size!



## Roller Chain Tools

- Chain breaker.



**CHA A8050**  
**\$58<sup>15</sup>**


For #50 to 80H chain  
each plus GST

## O-Ring Chain

- Keep lubrication in and contaminants out!
- O-ring chain delivers up to ten times the wear life of standard chain.
- O-ring chain has small o-rings on every joint that seal in the special lubricant and seal out dirt and moisture.
- Offset links are not available for o-ring chain.
- Connector links are available for o-ring chain.

## Steel Detachable Chain

- High grade steel.
- Operating at moderate loads and speeds, this chain will provide long service life on drive and conveyor applications.
- Links are special high-grade steel precision formed for pitch uniformity.
- Available in sizes 25, 32, 42, 51, 52, 55, 62, 62H, 67H.



Part No.	Description	Price /10' Box
CHA 40-1R-10-OR-TQP	Box of 10 feet	172.62
CHA 50-1R-10-OR-TQP	Box of 10 feet	190.91
CHA 60-1R-10-OR-TQP	Box of 10 feet	197.55
CHA 80-1R-10-OR-TQP	Box of 10 feet	258.93

## Economy Chain Breakers

- For a variety of sizes!

**CHA 165135**

**\$42<sup>39</sup>**

For sizes  
60 through 100 roller chain  
each plus GST

**CHA 165113**

**\$24<sup>36</sup>**

For sizes  
35 through 60 roller chain  
each plus GST



## WP Quality Roller Chain at an economical price!

- Double punching process avoids tapering where the pin is located.
- Pre-loaded at the factory to reduce initial stretching.
- Bushing drilled with an oil port for better lubrication.
- Special heat treating process applied.
- Link plates and rollers are shot peened for extra toughness.



Part No.	Price /10' Box	Part No.	Price /10' Box
CHA 35-1R-10-TQP	17.57	CHA 100-1R-10-TQP	109.34
CHA 40-1R-10-TQP	18.88	CHA 40-2R-10-TQP	38.70
CHA 50-1R-10-TQP	29.45	CHA 50-2R-10-TQP	62.31
CHA 60-1R-10-TQP	38.91	CHA 60-2R-10-TQP	86.53
CHA 60H-1R-10-TQP	46.77	CHA 80-2R-10-TQP	145.41
CHA 80-1R-10-TQP	71.94	CHA 80H-2R-10-TQP	98.51
CHA 80H-1R-10-TQP	88.76	CHA 81-XS-10	78.17



## AGRI-TUFF Roller Chain

	Part No.	Price /10' Box
CHA 40-1R-10-TAT	37.65	
CHA 40-2R-10-TAT	89.12	
CHA 50-1R-10-TAT	47.13	
CHA 50-2R-10-TAT	111.20	
CHA 60-1R-10-TAT	65.55	
CHA 60-2R-10-TAT	155.23	
CHA 60H-1R-10-TAT	87.38	
CHA 60H-2R-10-TAT	208.31	



## Steel Pintle Chain

- Useful in a variety of applications!
- For use in many applications including manure spreaders.
- Sizes available include: D205, D662, D667H, D667J, D667XC, D667K, D667KC, D88K, D308C
- Attachments are also available.

## OCM Best Quality Chain

- 30% less initial stretch than roller chain without seam-oriented bushings.
- 40% longer wear life.
- Oil ports act as a reservoir for extra lubricant.

Part No.	Price /10' Box
CHA 40-1R-10-OCM	44.13
CHA 50-1R-10-OCM	58.52
CHA 50-2R-10-OCM	137.76
CHA 60-1R-10-OCM	77.57
CHA 60-2R-10-OCM	202.31
CHA 60H-1R-10-OCM	102.65
CHA 80-1R-10-OCM	136.77

# Mufflers and Accessories



## Mufflers

- We carry a variety of makes!

Part No.	Description	Price Each
MUF AC20	For Allis Chalmers models 7000 (Serial #8553 & up), 7010, 7020, 7030, 7040, 7045, 7050 & 7060 (all Diesel 1979-81)	113.41
MUF CA16-1	For Case row crop tractors 970 & 1070 (Gas & Diesel) (1970 & up)	111.72
MUF JD8	For John Deere models 320, 330 & 420 (Gas Serial #135025 & up), 430 & 440 (Gas), 435 (Diesel - Serial #442886 & up, 1957-59), 1010 (Gas - all types with vertical exhaust)	34.81
MUF FO3	For Ford models 9N, 2N, 8N (Gas - 1939-52)	31.22
MUF IH10	For International models 350, 350 utility, 300, Super H & HV, Super W4 & W6, 450, 400, Super M-TA & M, 340 (Diesel), 460, 560 & more	32.01
MUF MF15	For Massey Harris models (Gas & Diesel, 1942-57), 20, 20K, 22, 22K (exc. 1948) 30, 30K, 33, 333, 44, 44SPL, 44D, 44K, 44-6, 444, 81, 82, 101Jr., & 102Sr.	34.20
MUF MF38	For Massey models MF-230, MF-235, MF-245, MF-255, MF-265, MF-275 Gas & Diesel	122.49
MUF VT3	For Versatile model 400 swather (Gas up to 1981)	49.67
MUF VT4	For Versatile model 400 swather (Gas 1981 & up), 4400 (Gas)	117.55

## Rain Caps

- A collection of sizes for exhaust rain caps!



Part No.	Size	Price Each
MUF RC0	1½"	7.96
MUF RC1	1¾"	9.91
MUF RC2	2"	10.42
MUF RC3	2½"	11.40
MUF RC5	2¼"	10.82
MUF RC7	2¾"	12.21
MUF RC4	3"	12.54
MUF RC8	3½"	12.95
MUF RC9	4"	13.80
MUF RC10	4½"	14.44
MUF RC11	5"	14.82

## Muffler Clamps

- We carry a variety of sizes!



Part No.	Size	Price Each
MUF MC112	1½"	1.74
MUF MC134	1¾"	1.83
MUF MC178	1⅞"	1.98
MUF MC200	2"	2.12
MUF MC214	2¼"	2.42
MUF MC212	2½"	2.58
MUF MC234	2¾"	3.20
MUF MC300	3"	3.60
MUF MC314	3¼"	6.98
MUF MC312	3½"	3.98
MUF MC400	4"	4.56
MUF MC500	5"	5.56

## Specialty chain!



## Grade 70 Transport Chain

- 5/16" to 1/2" size.

Part No.	Description	Price
CHA 70-3/8	5/16" size, bulk. 5,500 lb. working load limit, per ft.	4.40
CHA 70-5/16	5/16" size, bulk. 4,700 lb. working load limit, per ft.	2.68
CHA 70-3/8X20	5/16" size, 20' length. With grab hooks on each end	81.31
CHA 70-1/2X20	1/2" size, 20' length. With grab hooks on each end	151.60

## Harrow Pull Chains

Part No.	Description	Price Each
CHA HC3	5/16" chain, 3 links	2.72
CHA HC7	5/16" chain, 7 links	6.93
CHA HC10	5/16" chain, 10 links	9.69

## Load Binders

- Our load binders have what it takes to keep you out of trouble!

Part No.	Description	Price Each
CHA 70-1/4LB	For 1/4" (Grade 70) transport chain or 5/16" hi-test (Grade 40)	28.53
CHA 70-3/8LB	For 5/16" (Grade 70) transport chain or 3/8" hi-test (Grade 40)	36.37
CHA 70-1/2LB	For 3/8" (Grade 70) transport chain or 1/2" hi-test (Grade 40)	66.12

## Manure Spreader Chain

- Heavy-duty links made of 5/16" steel
- High carbon rail steel angles 1 3/4" x 1 1/4" x 1/4"
- Designed for #67 sprockets
- Minimum tensile strength 16,000 lbs.



\$283

each plus GST

Prices subject to change without notice and do not include GST, freight or set-up. Some items may not be available at all dealers. Prices in effect until June 15, 2012

Spring Farmer's Buyers Guide | 25

# A line up of savings for your workshop shelves!

## Tech-Steel

- Steel hard in 15 minutes.
- Full cure in 1 hour.
- Permanently adheres to many substances.



LUB 16002

**\$8.79**

each plus GST

## Tech-Plastic

- Begins to harden in 10-15 minutes.
- Mold it to any shape.
- Can be drilled, sawed, sanded, painted.



LUB 2900

**\$8.79**

each plus GST

## HC12A Refrigerant Can

- The environmental alternative!
- Safe to use.
- HC12a is designed as a drop-in replacement for ozone-depleting CFC R12 and global warming HFC R134a® refrigerant.



ACC HC12A-6

**\$8.95**

each plus GST



## Motor Assembly Grease

- 10 oz. tube.
- A smooth, light bodied grease made especially for motor assembly, prevents "dry start".
- Provides lubrication during the initial start-up before the motor oil has circulated.
- Protects freshly machined engine parts from rust and corrosion.



LUB 03494

**\$8.95**

each plus GST



## Hand Cleaner

- Effective, safe, and environmentally friendly!
- First hand cleaner certified to use the internationally recognized EcoLogo (Environmental Choice) and Green Seal symbols.

LUB 11-1100

**\$18.26**

1 lb. bottle plus GST



## emzone Odorstop

- Eco friendly! No CFCs!
- Designed to tackle accumulation in vehicle vent and A/C systems.
- Excellent for eliminating odors caused by cigarette smoke, mildew and mold by attacking the problem at the source, circulating throughout the entire system.
- One time use (total release).

ACC 44210

**\$10.93**

each plus GST



## Chain & Cable Fluid

- Lubricate your chains/cables!
- Aerosol.
- 12 oz. can.



LUB 13563

**\$17.73**

each plus GST

## Fluid Film

- Environmentally friendly!
- 333 g. aerosol.



LUB 3300

**\$17.90**

each plus GST

## High Temperature Grease

- Non-melt type!
- Workable from 40°F/4°C to 510°F/266°C and up to 550°F/288°C for short intervals.
- 14 oz. cartridge.

LUB 16198



**\$10.07**

each plus GST

## emzone Air Conditioning Refrigerant Recharge Kit

- Everything you need to recharge and seal your system.
- 2 of 6 oz. can HC1
- Non-ozone depleting
- Non-corrosive.
- Non-toxic.
- Charging hose with gauge.



**\$36.57**

kit plus GST

## Renew-A-Shine

- Restore the lustre to your faded equipment.
- 340 g. aerosol.



LUB 2001

**\$22.98**

each plus GST

## Low Temp Grease Cartridge

- For low temperature applications down to -60°F/-51°C
- Water resistant.
- 14 oz. cartridge.

LUB 17298



**\$9.34**

each plus GST

## Slow Moving Signs



- Mount them on your equipment!

**ACC 101105**  
Sign on Metal

**\$15.07**

each plus GST

**ACC 101303**  
Decal Only

**\$10.53**

each plus GST

**ACC 101600**  
Sign on Plastic

**\$16.12**

each plus GST

## Penetrating Oil

**MILLIGAN BIO-TECH**



**\$16.48**

each plus GST

**LUB PO-313G**

## Diesel Fuel Conditioner

**MILLIGAN BIO-TECH**



**\$7.86**

250 ml bottle plus GST

**LUB DFC-250ML**



**\$19.90**

1 litre bottle plus GST

**LUB DFC-1L**



**\$86.05**

5 litre bottle plus GST

**LUB DFC-5L**

## LED Warning Light



- Battery operated LED warning light, amber.
- 4" high x 4 3/4" base.
- On/off switch and magnetic base.
- Single flash and 4 diodes
- Uses 2 AA batteries (not included).

**LIC E420AM**

**\$27.03**

each plus GST

## LED Load Light

- Available in red or amber!
- Runs on AA batteries
- Up to 100 hours of battery life
- Super magnetic bracket
- Heavy duty!



**MIS 504L55MB (Red)**

**\$73.44**

each plus GST

**MIS 504L55AMB (Amber)**

**\$73.44**

each plus GST

## Hobbs Halogen Lights

Partial Listing of Halogen Lights

- Flood lights



**LIG 71898-50**



**LIG 73761-50**



**LIG 72542-50**

## Signal Horn

**emzone**



- Emzone Signal Air Horn is ideal for watercraft, industrial sites, sports events and outdoor activities.
- Recommended for boats up to 12m (39.4 ft.)

**ACC 46100**

**\$18.99**

each plus GST

## emzone Air Duster

- Emzone Compressed Gas Air Dusters blast away dust, dirt and lint from computers, electronic office equipment and automobiles.
- Great for hard to reach areas.
- Non-ozone depleting.
- Zero residue.
- Moisture free.
- Non-VOC

**\$9.52**

each plus GST



**ACC 47020**

## LOCTITE Threadlock Stick

- New twist on an old favorite
- No leaks, drips, or spills. Great for overhead use



Part No.	Description	List Price
LUB 37684	Blue medium strength, 9 gram stick	17.34
LUB 37685	Red high strength, 9 gram stick	18.71
LUB 37127	Pipe sealant, 19 gram stick	17.16
LUB 37229	C5-A® copper anti-seize, 20 gram stick	9.25

## Fresh Cab Scent Pouches

- They smell great!
- So easy to use - just throw one or two in your cab every couple of months.
- This all natural blend of scents, spices and agricultural products was designed for small enclosed spaces such as tractor and truck cabs that become stale when not in use, but has many more applications.



**ACC MS1**

**\$17.49**

box of 4 pouches plus GST



# Jacks of every kind!

Partial Listing of Jacks

## HammerBlow Jacks

- Screw type 5,000 lb. capacity!
- Outer tube is engineered to handle both vertical and side loads with ease.
- Inner screw features rolled Acme Threads providing long life and low handle effort.
- Nearly a half-century of proven, dependable service in the field. Reduced handle effort achieved through use of alloy nuts and thrust bearings.
- Large load-bearing disc foot provides stability you can count on.
- Engineering test programs have determined the optimum tube overlap to minimize side load failures.

## Bottle Jacks

- A variety of sizes!



Part No.	Size	Price
CIP BJ6	6 ton capacity	19.48
CIP BJ20	20 ton capacity	52.87
CIP BJ20AH	20 ton capacity air/hydraulic	148.38

## HammerBlow 10,000 lb. Jack

- 12,000 lb. static load capacity.
- Force-reducing gear ratios allow you to crank smoothly under load with little effort.
- Square tubing mounts anywhere.
- Long lasting non-welded bearing seat.
- Hole in outer tube for screw and nut lubrication.
- Telescoping legs formed of heavy-wall, square steel tubing.
- 5 locking position reinforced against hole elongation and loss of compression strength.
- Locking cam assist plunger pin.

\$265<sup>33</sup>

each plus GST

JAC 10125SWR-DL



JAC 5010TWR

\$88<sup>35</sup>

each plus GST

Top wind  
10" lift

JAC 5015TWR

\$101<sup>23</sup>

each plus GST

Top wind  
15" lift



JAC 5010SWR

\$95<sup>83</sup>

each plus GST



JAC 5015SWR

\$105<sup>10</sup>

each plus GST



## A-Frame Jack

- Will accept steel caster wheel (sold separately)
- Will accept detachable foot (sold separately)
- Made in USA.
- 15" of travel adjustments.
- 5,000 lb. top wind.



JAC A5015TW

\$47<sup>80</sup>

each plus GST

## HammerBlow 7,000 lb. Jack

- 15" travel drop leg.
- Large 6" x 8" disc foot provides the utmost in stability.
- Five holes in drop leg provide 13½" of additional adjustment, saving the operator precious time.
- Ample 2½" square outer tubing ensures easy mounting anywhere.
- All surfaces finished to provide protection against corrosion.
- Jack is welded directly to frame.
- Dimensions: 22.95" fully retracted; 51.45" fully extended.



\$120<sup>25</sup>

each plus GST

JAC 7015SWR-DL



TQP®

## Agricultural Jacks

- Quality imported TQP® screw jacks
- Features a water seal to keep moisture out.
- A 1" acme screw. Most 2,000 lb. jacks feature a ¾" acme screw, and most 5,000 lb. jacks feature a ½" acme screw.
- The handle is attached directly to the acme screw, not another bracket.
- A larger thrust bearing than any other jack in its class.
- A thrust washer welded directly to the acme screw.



Priced from

\$2811

each plus GST

Part No.	Description
JAC SLR10-SW	10" side wind, 5,000 lb. lift rating, tube mount
JAC SLR10-TW	10" top wind, 5,000 lb. lift rating, tube mount
JAC SLF10-SW	10" side wind, 5,000 lb. lift rating, flange mount
JAC SLF10-TW	10" top wind, 5,000 lb. lift rating, flange mount
JAC SLR15-SW	15" side wind, 5,000 lb. lift rating, tube mount
JAC SLR15-TW	15" top wind, 5,000 lb. lift rating, tube mount
JAC SLF15-SW	15" side wind, 5,000 lb. lift rating, flange mount
JAC SLF15-TW	15" top wind, 5,000 lb. lift rating, flange mount

## Economy Square Tube Jacks

- 7,000 lb. lift capacity  
26" lift  
Top wind

JAC 7015TW-DLIMP

\$50<sup>45</sup>

each plus GST



- 7,000 lb. lift capacity  
26" lift  
Side wind

JAC 7015SW-DLIMP

\$58<sup>37</sup>

each plus GST



- 12,000 lb. lift capacity  
26" lift  
Side wind

JAC 12015SW-DLIMP


\$146<sup>06</sup>

each plus GST



## Baler Belting

Partial Listing of Baler Belting



- Fits John Deere model 510 (upper) 4" x 484"

**BEL 20-JD484**

**\$148<sup>46</sup>**

each plus GST

- Fits Ford/NH 650-654, 658, 660-664, 658, 668, 688, BR750, BR750 All Purpose

**BEL 20-NH420**

**\$344<sup>93</sup>**

each plus GST

- Fits Case IH model 3450 (upper), 3650 (upper), 8480 (upper); Hesston 514, 814, (upper); New Idea 483, 4844, 484, 4845, 485, 4855, 486, 4865 (upper); Vicon 560, RP1510 (upper), 11" x 73.25

**BEL 20-UV173**

**\$77<sup>18</sup>**

each plus GST

## Alligator Rivet Lacing

- Less expensive than competitive brands!
- Easier to install.
- Field installation is quick and easy with only the portable application tool and a 1 lb. hammer.
- High strength and longer life.



**LAC AR-7**

**\$49<sup>57</sup>**

7" fastener package  
(for 2 complete splices) plus GST

**LCR ART-7**

**\$191<sup>25</sup>**

7" applicator tool plus GST

## Baler Belting

- 3 ply diamond top belting, per foot



**BEL BEL7250DIA**

**\$77<sup>6</sup>**

per foot plus GST

- 3 ply chevron top belting, per foot

**BEL BEL4250CHE**

**\$49<sup>4</sup>**

Prices subject to change without notice and do not include GST, freight or set-up. Some items may not be available at all dealers. Prices in effect until June 15, 2012

## Baler Belt Sets

Partial Listing of Baler Belt Sets

- Complete belt sets of OEM quality diamond top 3 ply belting to fit your John Deere 530, 535, 566, 577 balers.
- 8 belt set laced with plate lacing (OEM style)

**BEL 20-JDBSH**

**\$3,353<sup>97</sup>**

set plus GST

## Baler Pick-up Bands

Partial Listing of Baler Pick-up Bands

Part No.	Description
PUP 450012	Fits New Holland 851, 852 Replaces #578696
PUP 450034	Fits New Holland 644, 648, 654, 658, 660, 664, 678, 688. Replaces #86637149
PUP 450030	Fits Gehl. Replaces #112421
PUP 450022	Fits New Idea, Case IH. Replaces #105424
PUP 450023	Fits Case IH, New Idea. Replaces #105680
PUP 450024	Fits Vermeer, F, G, H. Replaces 211-001

Priced from  
**\$12<sup>81</sup>**

each plus GST

**BEL 20-JDBSR**

**\$2,864<sup>41</sup>**

set plus GST

## Tie Bar Lacing

- 12" strips, 12 per box.
- Keeps splices flat and smooth.
- Individual hooks are less likely to break away.
- Size #2, #3, #4 available in 24" strips per box.

Part No.	Description	Price Each
LAC 2T	Size 2, per box	25.16
LAC 2T-24	Size 2 (24"), per box	40.42
LAC 3T	Size 3, per box	25.83
LAC 4T	Size 4, per box	26.41
LAC 5T	Size 5, per box	31.17
LAC 6T	Size 6, per box	36.43

Partial Listing of Rake & Baler Teeth

## Rake & Baler Teeth

- To fit a variety of makes!

Part No.	Description	Price
TIN C-3	To fit Case 8480, Hesston 514, 540 Round, New Idea 44, 4644, 6244, 6344	2.69
TIN FH-2	To fit Farmhand rake F76 & Darf rake. Double tooth	3.54
TIN JD-1C	To fit John Deere baler 327, 336, 337, 347, 467. Double tooth	1.92
TIN JD-1D	To fit John Deere baler 410, 500, 510, 430, 530. Double tooth	2.23
TIN HE-16	To fit Hesston 814 round baler	3.34
TIN NH-1D	To fit New Holland baler with Super Sweep, New Idea/Avco. Double tooth	2.12
TIN HE-12	To fit New Idea 6364, 6365, 4925, 7333	3.41
TIN NI-3	To fit New Idea balers .207 wire, replaces 103012	2.30
TIN VI-3	To fit Vicon & PMI balers, replaces 99136220	2.80

Partial Listing of Bulk Baler Belting

Part No.	Description
BEL BEL4RT	2 ply 4" rough top
BEL BEL4RT-3	3 ply 4" rough top
BEL BEL472RT	2 ply 4.75" rough top
BEL BEL6RT	2 ply 6" rough top
BEL BEL9RT	2 ply 9" rough top
BEL BEL10RT	2 ply 10" rough top
BEL BEL11RT	2 ply 11" rough top
BEL BEL12RT-3	3 ply 12" rough top

Priced from  
**\$311**

per foot plus GST

## Weld-on Bucket Hooks

- In a variety of sizes!

Part No.	Description	Price
CHA 3/8BH	3/8" size	4.16
CHA 7/16BH	7/16" size	9.58
CHA 1/2BH	1/2" size	12.34

Spring Farmer's Buyers Guide | 29

# Make harvest go smoothly!

Partial Listing of Forged Steel Guards

## Forged Steel Guards



## Sickle Tools



## Plated Section Rivets



- Oval head or countersunk head available!

Part No.	Description	Price
CUT 01008	OH 1/2" x 5 1/2 mm	10.08
CUT 01014	OH 5/16" x 5 1/2 mm	8.34


## Bolt-A-Sections



- Sections can be changed in a quarter or less time required with rivets.
- Special bolts give 30% more clamp load than rivets and are positive locking.

Part No.	Description	Price
CUT 01100 (TJS5BN)	5/8" long	22.56/100 (23¢ ea)
CUT 01101 (TJB5BN)	1" long	8.06/25 (32¢ ea)
CUT 01118-20 (BVB916BN)	5/16" long, countersunk	5.73/20 (29¢ ea)

## Anchors



- Great for holding down tarps!
- Other sizes available.

Part No.	Description	Price
ACC 624	48" long, 5/8" shaft, 6" auger	23.89
ACC 627	36" long, 1/2" shaft, 4 1/2" auger	14.47
ACC 629	28" long, 1/2" shaft, 3" auger	11.89

## Reel Bats

- Designed for combines and swathers!
- Also ideal for many other applications!



Made in Canada

Part No.	Description	Priced from
CUT 09008-11 Satin Galvanized	0.027" x 7" satin coat galvanized grey finish 21', 22', 25' or 30' length	56.61
CUT 09004 Flowcoat Black	0.032" x 7" black polyester coating, w/clear polyester top coat. 21' or 30' length	128.72

## Swather Parts

Partial Listing of Swather Parts

Part No.	Description	Price Each
SWA WP18460	Outer roller assembly (includes tube, shaft & bearings). Fits Versatile 400	143.65
SWA WP14212	Reel end shield. Fits Versatile 400 & 4400	30.80
SWA WP14310	Housing, bearing roller. Fits Versatile 400 & 4400	11.31
SWA WP14189	Adjustable pulley to fit C.C.I.L. 550	77.70
SWA WP14326	Inner roller assembly double swath (includes tube, shaft) to fit Versatile 400	164.43



SWA WP14326

## Pick-up Reel Fingers

- Meets or exceeds OEM specifications; to fit MacDon pick-up reels.



TIN WP15945

\$1.70  
Single Finger  
each plus GST



TIN WP11472

\$2.56  
Double Finger  
each plus GST

## Super 7 Sickle Sections

Partial Listing of Sickle Sections

- Conventional sections have 14 serrations per inch. The Super Seven Section has 7 serrations per inch!
- Larger, deeper serrations.
- Self-sharpening.
- Holds serrations much longer.



10 Packs Part No.	25 Packs Part No.	OEM No.	Application	Type
CUT 05080-10	CUT 05080-25	SS1046776M1	MF655	HTSCR
CUT 05118-10	CUT 05118-25	SS61431M1	MF Combines	RTSCR
CUT 05134-10	CUT 05134-25	SSH160251	JD 900 Series	XHTSCR
CUT 05083-10	CUT 05083-25	SS596321R3	IH 4000	HTSCR
CUT 05086-10	CUT 05086-25	SS826720C2	IH Combines	XHTS
CUT 05089-10	CUT 05089-25	SSSW1616	Versatile 10-400	RTS



## TQP V-Belts



- Tough fibre tensile cords are bonded to the rubber compounds and safeguard the belt from failures
- Protective covering resists wear and provides a high coefficient of friction for efficient power transmission between belts and sheaves
- Superior length stability due to exceptional material and manufacturing processes, matched sets of TQP provide high performance
- Static safety is built into each belt by using conductive material; it means safer drives under hazardous conditions
- Oil and heat resistance assures long service life

Part No.	Description	Price
BEV B60	B60 - 5L630 V Belt TQP	9.64
BEV B71	B72 - 5L740 V Belt TQP	11.41
BEV B75	B75 - 5L780 V Belt TQP	12.05
BEV B90	B90 - 5L930 V Belt TQP	14.46

## Cast Iron Sheaves



Partial Listing of Cast Iron Sheaves

Part No.	Description	Price Each
PTP BK50HS	Single groove "H bushing" style 4.75" OD	14.35
PTP BK100HS	Single groove "H bushing" style. 9.95" OD	33.77
PTP 2BK60HS	Two groove "H bushing" style 5.75" OD	27.22
PTP 2BK80HS	Two groove "H bushing" style 7.75" OD	41.15
PTP BK25-1/2S	Single groove finished bore style 2.5" OD X 1/2" bore	6.79
PTP BK34-3/4S	Single groove finished bore style 3.55" OD X 3/4" bore	10.26

## Flexible Couplings

Partial Listing of Flexible Couplings

- Interchangeable with Lovejoy couplings



Part No.	Description	Price
PTP L095X1	L095 style, 2 1/8" O.D., 1" bore	12.35
PTP L090-095N	L095 style bushing, Buna N material	6.86
PTP L075X5/8	L075 style, 1 1/4" O.D., 5/8" bore	7.42
PTP L075N	L075 style bushing, Buna N material	5.36

## Sic-L-Clip



- Saves wear on sections
- One Sic-L-Clip per knife foot saves wear on sections
- Steel spring holds sections against ledger plate for improved cutting
- Replaceable "Nylatron" wear strip
- Standard or hi-clear
- 3/8" or 7/16" bolts

CUT 0300

Priced from  
**\$10.88**  
each plus GST

BEV 3LK300



BEV 4LK500



BEV 5LK690



## Lawn & Garden Belts

Part No.	Description	Price
BEV 3LK300	30" outside length, 3/8" width	15.36
BEV 5LK690	69" outside length, 2 1/2" width	38.81
BEV 4LK500	50" outside length, 1/2" width	22.08

Partial Listing Only

## Steel Wire Rope Pulleys

- Available in 2" to 10" outside diameter sizes with a stock bore.
- Use a press fit powdered metal bushing to obtain a proper inside diameter.
- Pulleys and bushings are sold separately.



## Fluted Coulters



PLO F

Priced from  
**\$58.15**  
each plus GST

Partial Listing Only

## Tractor Parts



TRP A1042944

**\$24.55**  
each plus GST

- Universal temperature gauge.
- Fits most tractors using 2" gauge.
- Comes with a 47" tube and adapters for mounting.



TRP A7658

**\$23.37**  
kit plus GST

## WP Grain Lifter



- Quality material & workmanship!

Manufactured by European OEM manufacturer ensuring quality material and workmanship.

- Fits most swather and combine applications up to and including 7 1/2" guard bolts.

Painted black to reduce eye strain.

GUA GS2

**\$29.16**  
each plus GST

## GATERMAN Guards



- Flexible floating guards follow the uneven ground.

Lift up low hanging pods and grain heads above the cutterbar.

Keep your sickle guards out of the ground and rocks.

Gaterman guards available to fit most combines, windrowers & pea harvesters.

GUA 1A, 1B, 2HC, 4B, 4H, 4S, 8A, 8B

Priced from

**\$28.35**  
each plus GST



GMR 45-0362

**Agri-fab**  
A Division of Agri-Fab Company**ATV Rough Cut Mower**

- 42" cutting width.
- 12.5 HP Briggs Power Built™ AVS engine.
- Tough enough to handle brush up to 2"
- Offsets up to 23" left or right.
- Adjustable deck height – 1.5 to 5"
- Electric start.

**\$3,113<sup>99</sup>**  
each plus GST**SALE****WP Skid Steer Plate**

GMR SSP

- Use this universal weld-on attachment plate to convert your skid steer to quick-attach.

**\$319<sup>00</sup>**  
each plus GST**SALE****Skid Steer Pallet Fork** Partial Listing Only

- Equipped with a high visibility load guard and adjustable forks.
- Fork tines are constructed of Boron Steel and heat treated.
- All models are equipped with adjustable forks.
- 42" length, 2,000 lb. lift capacity.

GMR SSPF-242

**\$936<sup>00</sup>**  
each plus GST**SALE****Renew-A-Shine**

- Restore the lustre to your faded equipment.
- 340 g. aerosol.



LUB 2001

**\$20<sup>88</sup>**  
each plus GST**SALE****WP Quick Calibrator**

- Quick, easy, accurate spray nozzle calibration.
- Lets you quickly and easily check your application rate or the amount of wear on your spray nozzles.
- Easy to use – just put under an operating spray nozzle. After a short time, the flow rate and application rate will be displayed.
- Faster and more accurate than jug and stop watch method and no calculation are required!



SPW SNC100-100-00

**\$379<sup>00</sup>**  
each plus GST**SALE****TeeJet Sprayer Gun**

- 1/4" NPTF inlet.
- Adjustable spray tip.
- Quick release trigger lock.
- 24" length.
- Max. 150 PSI

**SALE****\$39<sup>98</sup>**  
each plus GST

SPP 22670-PP-24-1/4

**Hydraulic Driven Pump**

- Mounting almost anywhere on tractor or sprayer, series 9300 becomes part of the vehicle's hydraulic system and frees the PTO for other uses.



- "Close-coupled" design reduces mounting space – a single stainless steel shaft is common to both pump and motor.

- Pump construction: Epoxy-coated cast iron housing, nylon impeller, two needle main bearings and an outboard, double sealed factory-lubricated ball bearing.

- Viton sealing element standard.

- Max. pressure 130 PSI, max. flow 114 GPM.

- Max. fluid temperature: 140°F/60°C.

- Hydraulic motor drive (for open and closed center systems)

- Housing: Cast iron.

- Port sizes: 1½" NPT inlet, 1¼" NPT outlet.

- Impeller: glass-filled nylon.

- Pump seals: Viton/ceramic.

**WESTWARD®****14 Piece Punch & Chisel Set**

- Vinyl Pouch.
- Set consists of flat chisels 1/2", 5/8", 3/4", 7/8", 1" pin punches 3/32", 1/8", 5/16", 1/4", solid punches 3/32", X 3/8", 5/16", 5/32" X 1/2", 3/8", centre punches 3/8".

WSW WPC14R

**\$93<sup>99</sup>**

set plus GST (Regular \$102.98)

**SALE**

SPP 70220

**\$859<sup>99</sup>**

each plus GST

**SALE****Farmer's Buyers Guide  
SPRING 2012**

www.westwardparts.com

RED DEER • REGINA • WINNIPEG

Prices in effect until June 15, 2012